

## Guidelines for the Application of Load and Inflation Tables

This guide is intended to provide assistance in utilizing *load and inflation tables* when replacing tires with optional tire sizes including “*plus sizes*” that may not be listed on the vehicle’s tire information placard (T.I.P.) or in the owner’s manual. For inflation pressure recommendations for the original equipment (OE) size, refer to the tire information placard (T.I.P.) or owner’s manual. The T.I.P. is commonly found on the vehicle door edge, door jam, glove-box door, or inside of the trunk lid. For more information on the proper selection of replacement tires, refer to our tire safety section on our website, [www.toyotires.com](http://www.toyotires.com).

**IMPORTANT!** Refer to the vehicle owner’s manual for any specific safety advice regarding the application of replacement tires.

### Guidelines


|                                                                             |           |
|-----------------------------------------------------------------------------|-----------|
| <b>Tire Load and Inflation Standards</b>                                    | <b>2</b>  |
| <b>ISO Metric (Metric or Hard metric) vs. P-metric</b>                      | <b>3</b>  |
| <b>Single/Dual Load</b>                                                     | <b>4</b>  |
| <b>Cold Inflation Pressure</b>                                              | <b>4</b>  |
| <b>Standard Load vs. Reinforced (RD) or Extra Load (XL)</b>                 | <b>4</b>  |
| <b>P-Metric or hard metric tires on Light Trucks</b>                        | <b>5</b>  |
| <b>Speed Ratings</b>                                                        | <b>6</b>  |
| <b>Basic Procedures for reading and applying the load inflation tables:</b> | <b>7</b>  |
| <b>P-Metric to Metric</b>                                                   | <b>8</b>  |
| <b>LT-metric to LT-Metric</b>                                               | <b>9</b>  |
| <b>LT-metric to LT Flotation</b>                                            | <b>10</b> |
| <b>P-metric to LT-metric</b>                                                | <b>11</b> |
| <b>Open Country M/T Load Inflation Table</b>                                | <b>12</b> |
| <b>TRA P-metric Load &amp; Inflation Table</b>                              | <b>13</b> |
| <b>TRA Light Truck Load &amp; Inflation Table</b>                           | <b>22</b> |
| <b>TRA Flotation Load &amp; Inflation Table</b>                             | <b>27</b> |
| <b>ETRTO Standard Load Inflation Table</b>                                  | <b>29</b> |
| <b>ETRTO Reinforced Load Inflation Table</b>                                | <b>31</b> |

## Tire Load and Inflation Standards


Load & inflation tables for passenger cars and light trucks are based on various standards including The Tire and Rim Association, Inc. (TRA) (North America), The European Tyre and Rim Technical Organisation (ETRTO) (E.U.), and The Japan Automobile Tyre Manufacturers Association (JATMA).

The sizing systems and a brief explanation of each component of the size from each standard are listed below.


### P-metric (T.R.A.)




### ISO Metric (E.T.R.T.O.)



### LT-Metric (T.R.A.)



### Flotation (T.R.A.)



## ISO Metric (Metric or Hard metric) vs. P-metric

It is important to know which standard is applicable for any given tire size designation as the load capacity may differ at any inflation pressure value. The TRA developed the P-metric standard and the ETRTO developed the ISO Metric/Hard Metric standard. For example, TRA P225/55R17 95T has a maximum load capacity of 1521 lbs. @ 35 psi (see Table 1) while 225/55R17 97T has a maximum load capacity of 1609 lbs. @ 36 psi (see Table 2).

Note: The load index (e.g. 95) is a numerical code associated with the maximum load a tire can carry at the speed indicated by the tire's speed symbol (e.g. 'T') under certain specified service conditions.

**Tires with the same load index, regardless of tire size, may carry the same load, but not always, and they may require substantially different inflation pressures.**

**The load index may not be used independently to determine replacement tire acceptability for load capacity. An equal or greater load index does not always correspond to equal or greater load capacity at all inflation pressure settings, particularly when comparing P-metric and Euro-metric passenger car tires.**

Table 1. Reference: 2006 Year Book The Tire and Rim Association, Inc.

1-20

2006 - THE TIRE AND RIM ASSOCIATION, INC. - 2006

| "P" TYPE TIRES USED ON PASSENGER CARS AND STATION WAGONS |                                                      |      |      |      |      |            |     |     |       |
|----------------------------------------------------------|------------------------------------------------------|------|------|------|------|------------|-----|-----|-------|
| TABLE P-1                                                |                                                      |      |      |      |      |            |     |     |       |
| TIRE AND RIM ASSOCIATION STANDARD                        |                                                      |      |      |      |      |            |     |     |       |
| See pages 1-03 thru 1-06 for TIRE SELECTION PROCEDURE.   |                                                      |      |      |      |      |            |     |     |       |
| TIRE SIZE<br>DESIGNATION                                 | TIRE LOAD LIMITS AT VARIOUS COLD INFLATION PRESSURES |      |      |      |      |            |     |     |       |
|                                                          | STANDARD LOAD                                        |      |      |      |      | EXTRA LOAD |     |     |       |
|                                                          | kPa                                                  | 180  | 200  | 220  | 240  | LOAD       | 260 | 280 | LOAD  |
|                                                          | psi                                                  | 26   | 29   | 32   | 35   | INDEX      | 38  | 41  | INDEX |
| 55 SERIES                                                |                                                      |      |      |      |      |            |     |     |       |
| P225/55R17                                               | kg                                                   | 605  | 640  | 670  | 690  | 95         |     |     |       |
|                                                          | lbs.                                                 | 1334 | 1411 | 1477 | 1521 |            |     |     |       |
|                                                          | kg                                                   | 475  | 500  | 525  | 545  |            |     |     |       |

Table 2. E.T.R.T.O. Load Inflation Table 97 load index.

| load<br>Index | Inflation Pressure (PSI) |      |      |      |      |      |      |      |      |      |      |
|---------------|--------------------------|------|------|------|------|------|------|------|------|------|------|
|               | 26                       | 27   | 28   | 29   | 30   | 31   | 32   | 33   | 34   | 35   | 36   |
| 97            | 1235                     | 1272 | 1290 | 1345 | 1400 | 1421 | 1455 | 1510 | 1530 | 1554 | 1609 |

**⚠ WARNING!** The maximum inflation pressure indicated on the sidewall of the tire may **NOT** be the recommended cold inflation pressure for your vehicle. Refer to your tire information placard or owner's manual for the proper cold inflation pressure and the recommended tire size. The tire information placard (T.I.P.) can be found on the vehicle door edge, door jam, glove-box door, or inside of the trunk lid.

## Single/Dual Load

Some light truck tires may contain two load indices on the sidewall as part of the service description (i.e. LT 235/85R16 120/116S). The first load index applies to single tire fitments and the second load index refers to tires in dual. When LT tires are fitted in dual assemblies, the load capacity is reduced by 9% of the single load capacity to account for the affect of road crown.

**⚠ WARNING! P-metric and hard metric tires may not be interchangeable. Make sure the replacement tire has equal or greater load carrying capacity by inflation compared to the OE tire as specified on the vehicle's tire information placard.**

## Cold Inflation Pressure

According to TRA, the cold inflation pressure is “taken with the tires at the prevailing atmospheric temperatures and do not include any inflation pressure build-up due to vehicle operation.”

In short, tires should be checked when they are cold; that is after the vehicle has been parked for at least three hours or driven less than one mile. It is easiest to check your inflation pressure in the morning, after the car has been parked overnight.

## Standard Load vs. Reinforced (RD) or Extra Load (XL)

‘Reinforced’ and ‘Extra Load’ both refer to the tire’s ability to carry additional load capacity at a higher inflation pressure compared to standard load tires. The sidewall of the tire is marked with either “REINFORCED” or “EXTRA LOAD” as shown in Figure 1. Figure 2 shows the added load capacity of a reinforced spec of the same size. If these markings are absent on the sidewall, then it is inferred that it a standard load tire.



Figure 1. “Reinforced” marking on sidewall.

**IMPORTANT!** Note that ETRTO has a separate load inflation table for standard load and reinforced.




Figure 2. ETRTO example of 225/50R16 Standard Load vs. Reinforced/Extra Load.

**⚠ Warning! Replacement tires must have equal or greater load carrying capacity by inflation compared to the OE tire as specified on the vehicle's tire information placard.**

## P-Metric or hard metric tires on Light Trucks

When a P-metric or metric tire is installed on a light truck (SUV, pickup, minivan), the load capacity of the tire is reduced by a factor of  $1.10^1$  as prescribed by the Federal Motor Vehicle Safety Standards (FMVSS). For example, 305/50R20 has a maximum load capacity of 3086 lbs. If this tire is fitted to a light truck, then the actual allowable load capacity for the tire is 2805 lbs. (3086 lbs. divided by 1.1). If you replace the original tires with the exact same type (P-metric, hard metric, LT-metric, or flotation), size designations, and ply as the tires that were originally installed, just follow the vehicle's tire information placard for proper inflation pressures. If, however, you apply a 'Plus zero' or plus-1, etc., fitment to a light truck, you must discount the replacement tire's load by the 1.10 factor and ensure that the replacement tire has sufficient load capacity by inflation to support the load of the originally installed tires.

<sup>1</sup> This load reduction factor is prescribed by Federal Motor Vehicle Safety Standards (FMVSS) and is based on the expectation that passenger type tires (P-metric) may experience more severe loading and usage conditions when applied to light trucks.

## Speed Ratings


Toyo recommends that replacement tires must have equal or greater speed rating compared to the original tire if the vehicle's speed capability is to be maintained. It is recommended that tire installers refer to the vehicle owner's manual to identify any tire speed rating restriction or recommendation that could affect the operation of the vehicle. If the replacement tires have a lower speed rating than what is specified as original equipment, the vehicle's speed must be restricted to that of the replacement tires and it is advised that the consumer be informed.

 **Tire Speed Symbols do not imply that vehicles can be safely driven at the maximum speed for which the tire is rated**, particularly under adverse road and weather conditions, or if the vehicle has unusual characteristics. Never operate a vehicle in an unsafe or unlawful manner.

## Basic Procedures for reading and applying the load inflation tables:

### Original Equipment

1. Locate tire information placard to confirm OE tire size and cold inflation pressure. (The tire information placard can be found on the vehicle door edge, door jam, glove-box door, or inside of the trunk lid.) An example of a T.I.P. is shown in Figure 3.



The placard features a tire icon on the left. The title 'TIRE AND LOADING INFORMATION' is in a yellow box. Below it, seating capacity is listed as 5 total, 2 front, and 3 rear. A warning states the combined weight of occupants and cargo should never exceed 392 kg or 865 lb. A table provides tire details for front, rear, and spare positions. At the bottom, it directs the user to the owner's manual and includes a book icon and the number 6H249111.

| TIRE                         | FRONT           | REAR            | SPARE           |
|------------------------------|-----------------|-----------------|-----------------|
| ORIGINAL TIRE SIZE           | P225/60R18      | P225/60R18      | T145/80D18      |
| COLD TIRE INFLATION PRESSURE | 207 kPa, 30 PSI | 207 kPa, 30 PSI | 420 kPa, 60 PSI |

Figure 3. Tire information placard.

2. Identify the standard used (TRA for P-metric, LT-metric, and flotation sizes and ETRTO for hard metric sizes) and refer to the appropriate load inflation table. In Figure 3, we recognize that the OE size is P225/60R18 (P-metric), so we would refer to the TRA Load Inflation Table.
3. Find the corresponding load for the OE tire size(s) at the recommended cold inflation pressure.

 Some vehicles are originally equipped with a staggered fitment in which the front and rear tire sizes may vary and/or may have a different front and rear recommended inflation pressure. Always maintain any differences in inflation pressures front to rear that are shown on the vehicle placard.

### Replacement Tire

4. Use the appropriate load inflation table for the replacement tire size(s).
5. Find the inflation pressure to which the corresponding load is equal to or greater than the OE tire.
6. Inflate tires to the appropriate inflation pressure.
7. If the replacement tire requires a different inflation pressure than OE, the installer should inform the owner of the new required inflation pressure and should also place a sticker or decal over the vehicle tire placard showing the new tire size and recommended inflation pressure for future reference.

 **Warning!** Never use an inflation pressure lower than what is recommended by the vehicle manufacturer.

Examples of implementing this procedure are carried out in the following:

## P-Metric to Metric

Example 1. Replace OE P235/45ZR17 93W with a Plus-1 245/40ZR18 97Y reinforced on a 2006 Mitsubishi Lancer Evolution IX.

|                                                                                                              |                                     |
|--------------------------------------------------------------------------------------------------------------|-------------------------------------|
| OE Information (Obtained from the tire information placard):<br>Vehicle: 2006 Mitsubishi Lancer Evolution IX |                                     |
| Tire Size (Front): P235/45ZR17 93W                                                                           | Inflation Pressure (Front) = 32 psi |
| Tire Size (Rear): P235/45ZR17 93W                                                                            | Inflation Pressure (Rear) = 29 psi  |

The OE tire is P-metric, therefore use the TRA Load Inflation Table (see Table 3) to look up the load capacity at the OE inflation pressure. For the standard load P235/45ZR17 93W, at 32 psi the load carrying capacity of the front is 1354 lbs and the rear load at 29 psi is 1272 lbs.

Table 3. TRA Load Inflation Table.

| Load Index | Tire Size  | Inflation Pressure (PSI) |      |      |      |
|------------|------------|--------------------------|------|------|------|
|            |            | 26                       | 29   | 32   | 35   |
| 93         | P235/45R17 | 1188                     | 1272 | 1354 | 1433 |

For a Plus 1 fitment, what should the inflation pressure be if replacing the OE tires with a Proxes T1R 245/40ZR18 97Y RD?

The 245/40ZR18 97Y RD is a reinforced ETRTO spec, therefore refer to the ETRTO Reinforced Load Inflation Table (excerpt in Table 4). As indicated previously, always maintain any differences in inflation pressures front to rear that are shown on the vehicle placard. In order to maintain the same staggered inflation pressure from front to rear, while still carrying an equal or greater load, the front tire must be inflated to 35 psi (1378 lbs.) in the front, while the rear tires will need to be inflated to 32 psi (1290 lbs.).

Table 4. ETRTO Reinforced Load Inflation Table.

| Load Index | Inflation Pressure (psi) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------------|--------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|            | 28                       | 29   | 30   | 31   | 32   | 33   | 34   | 35   | 36   | 37   | 38   | 39   | 40   | 41   | 42   |
| 97         | 1146                     | 1190 | 1246 | 1262 | 1290 | 1334 | 1359 | 1378 | 1433 | 1454 | 1477 | 1521 | 1547 | 1565 | 1609 |

In order to adequately support the load, the 2006 Mitsubishi Lancer Evolution IX with a plus 1 fitment of 245/40ZR18 97Y RD must be inflated to front 35 psi and rear 32 psi.

## LT-metric to LT-Metric

Example 2. Replace the OE LT315/70R17 121R with a Plus zero LT325/70R17 122R on a 2006 Hummer H2.

OE Information (Obtained from the T.I.P.):  
Vehicle: 2006 Hummer H2  
Tire Size (Front/Rear): LT315/70R17 121R D/8  
Inflation Pressure (Front/Rear) = 37 psi

The original equipment size is LT-metric, therefore use the TRA Light Truck Load Inflation Table (see Table 5) to find the load carrying capacity at the recommended 37 psi. Notice in the table that the 37 psi falls between the published values, so by extrapolation, the load is 2595 lbs. This can be calculated as follows:

$$\frac{2685\text{lbs.} - 2535\text{lbs.}}{40\text{psi} - 35\text{psi}} = \frac{150\text{lbs.}}{5\text{psi}} = 30 \text{ lbs. per each 1 psi increase from 35 to 40 psi}$$

Therefore add 60 lbs. to 2535 lbs. to calculate the load at 37 psi to get 2595 lbs.

Table 5. TRA Light Truck Load Inflation Table.

| Tire Size | Single/Dual | psi_35 | psi_40 | psi_45 | psi_50      | psi_50 load range |
|-----------|-------------|--------|--------|--------|-------------|-------------------|
| 315/70R17 | Single      | 2535   | 2685   | 2915   | <b>3195</b> | <b>D</b>          |

The OE tires are replaced with the Open Country A/T LT325/70R17 122R D/8. Using the Open Country A/T Load Inflation Table, we extrapolate again to find that the tires at 37 psi will sufficiently carry the OE load based on the OE inflation pressure. The corresponding load at 37 psi is 2667 lbs.

Table 6. Open Country A/T Load Inflation Table.

| Tire Size            | Inflation Pressure (PSI) |      |      |                 |
|----------------------|--------------------------|------|------|-----------------|
|                      | 35                       | 40   | 45   | 50              |
| LT325/70R17 122R D/8 | 2555                     | 2835 | 3085 | <b>3305 (D)</b> |

In order to adequately support the load, the 2006 Hummer H2 with a plus zero fitment of LT325/70R17 122R D/8 must be inflated to 37 psi (front and rear).

## LT-metric to LT Flotation

Example 3. Replace the OE LT315/70R17 121R with a 35x12.50R17LT 125Q on a 2006 Hummer H2.

OE Information (Obtained from the T.I.P.):  
Vehicle: 2006 Hummer H2  
Tire Size (Front/Rear): LT315/70R17 121R D/8 Rim width = 8.5"  
Inflation Pressure (Front/Rear) = 37 psi

As in Example 2, the OE load carrying capacity at 37psi is 2595 lbs.

After confirming that the Open Country M/T 35x12.50R17 125Q E/10 is suitable to be mounted on the OE rim width, proceed with calculating the appropriate inflation pressure. Using the Open Country M/T Load Inflation Table (excerpt in Table 7), the replacement tire requires 40 psi to support the original load of 2595 lbs. Note that the tire at 39 psi can only support 2581 lbs., which is slightly below the OE requirement, hence, the reason for recommending 40 psi.

Table 7. Open Country M/T Load Inflation Table.

| Tire Size        | Inflation Pressure (PSI) |      |      |      |      |      |      |      |          |
|------------------|--------------------------|------|------|------|------|------|------|------|----------|
|                  | 25                       | 30   | 35   | 40   | 45   | 50   | 55   | 60   | 65       |
| 35x12.50R17 125Q | 1875                     | 2155 | 2405 | 2625 | 2840 | 3000 | 3235 | 3420 | 3640 (E) |

In order to adequately support the load, the 2006 Hummer H2 with a plus zero fitment of 35x12.50R17LT 125Q must be inflated to 40 psi (front and rear).

## P-metric to LT-metric

Example 4. Replace the OE P255/70R17 110S with a LT265/70R17 121S on a 2006 Ford F-150 XLT 4X4 Super Crew Cab.

OE Information (Obtained from the T.I.P.):  
 Vehicle: 2006 Ford F-150 XLT 4X4 Super Crew Cab  
 Tire Size (Front/Rear): P255/70R17 110S Rim width = 7.5"  
 Inflation Pressure (Front/Rear) = 35 psi

Using the TRA Load Inflation Table (see Table 8), at the OE pressure of 35 psi, the P255/70R17 has a load carrying capacity of 2337 lbs. As this tire has been de-rated by the vehicle manufacturer by a factor of 1.10 to account for its installation on a light truck, the actual load carrying capacity is 2125 lbs.

Table 8. TRA Load Inflation Table.

| Load Index | Tire Size  | Inflation Pressure (PSI) |      |      |      |
|------------|------------|--------------------------|------|------|------|
|            |            | 26                       | 29   | 32   | 35   |
| 110        | P255/70R17 | 2050                     | 2160 | 2271 | 2337 |

After confirming that the OE rim width is within the allowable rim width range for LT265/70R17 121S E/10, refer to the TRA LT Load Inflation Table. The 'Single' load values apply and this tire requires an inflation pressure of 45 psi (2255 lbs.) to maintain adequate load capacity.

Table 9. TRA Light Truck Load Inflation Table.

| TIRE SIZE   | Single/Dual | @ 35 PSI | @ 40 PSI | @ 45 PSI | @ 50 PSI | @ 55 PSI | @ 60 PSI | @ 65 PSI | @ 70 PSI | @ 75 PSI | @ 80 PSI | @ 95 PSI |
|-------------|-------------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|----------|
| LT265/70R17 | Dual        | 1720     | 1890     | 2050     | 2270 [C] | 2360     | 2510     | 2680 [D] | 2735     | 2820     | 2910 [E] |          |
| LT265/70R17 | Single      | 1890     | 2075     | 2255     | 2470 [C] | 2595     | 2760     | 2910 [D] | 3005     | 3100     | 3195 [E] |          |

In summary, the 2006 Ford F-150 XLT 4X4 Super Crew Cab with an Open Country A/T LT265/70R17 121S E/10 must be inflated to 45 psi.

**⚠ WARNING!** Please note that size-for-size, LT-metric tires require higher air pressures to carry equivalent loads of P-metric tires and that any failure to adjust air pressure to achieve the vehicle's load requirements will result in tire fatigue and eventual tire failure due to excessive heat build-up. Due to the higher PSI requirements of LT-metric tires they may not be suitable for replacing O.E. P-metric tires because of the ride harshness that results from higher PSI requirements.

Additional information on replacement guidelines can be found in your tire owner's manual as well as the Rubber Manufacturers Association (RMA) at [www.rma.org](http://www.rma.org).

If there are any further questions, please contact our Consumer Relations at 800-442-8696.



## Open Country M/T Load Inflation Table

**\* Never exceed the tire's maximum load as indicated on the sidewall.**

**Replacement tires must be of a size, load range, and load capacity (by inflation) that are capable of supporting the load of the vehicle's originally installed (O.E.) tires.**

Note: Letters in parentheses indicate the Load Range for which Bold Face loads are maximum:

| Tire Size          | Single Tire load limits (lbs.) at various cold inflation pressures (PSI) |      |                 |      |      |                 |      |      |                 |      |      |                 |
|--------------------|--------------------------------------------------------------------------|------|-----------------|------|------|-----------------|------|------|-----------------|------|------|-----------------|
|                    | 25                                                                       | 30   | 35              | 40   | 45   | 50              | 55   | 60   | 65              | 70   | 75   | 80              |
| 37x14.50R15LT 120Q | 2435                                                                     | 2775 | <b>3080 (C)</b> |      |      |                 |      |      |                 |      |      |                 |
| 38x14.50R16LT 129Q | 2520                                                                     | 2875 | 3195            | 3500 | 3780 | <b>4080 (D)</b> |      |      |                 |      |      |                 |
| LT295/70R17 128P   |                                                                          |      | 2270            | 2435 | 2580 | 2830            | 3040 | 3155 | 3440            | 3605 | 3705 | <b>3970 (E)</b> |
| 35x12.50R17LT 125Q | 1875                                                                     | 2155 | 2405            | 2625 | 2840 | 3000            | 3235 | 3420 | <b>3640 (E)</b> |      |      |                 |
| 37x13.50R17LT 131Q | 2240                                                                     | 2545 | 2835            | 3110 | 3350 | 3640            | 3825 | 4045 | <b>4300 (E)</b> |      |      |                 |
| 38x13.50R18LT 126Q | 2335                                                                     | 2640 | 2910            | 3210 | 3475 | <b>3750 (D)</b> |      |      |                 |      |      |                 |
| 38x13.50R20LT 124Q | 2150                                                                     | 2460 | 2755            | 3000 | 3240 | <b>3525 (D)</b> |      |      |                 |      |      |                 |
| 38x15.50R20LT 125Q | 2270                                                                     | 2600 | 2910            | 3165 | 3425 | <b>3640 (D)</b> |      |      |                 |      |      |                 |
| 40x15.50R20LT 130Q | 2600                                                                     | 2985 | 3305            | 3630 | 3925 | <b>4190 (D)</b> |      |      |                 |      |      |                 |
| 40x15.50R22LT 127Q | 2405                                                                     | 2765 | 3085            | 3365 | 3640 | <b>3860 (D)</b> |      |      |                 |      |      |                 |

When a P or Q appears in the service description, maximum speed capability is as follows: P=93 mph and Q=99 mph.

**COLD INFLATION PRESSURES:** The inflation pressures shown in this section are those taken with the tires at the prevailing atmospheric temperatures and do not include any inflation pressure buildup due to vehicle operation. Reference: The Tire and Rim Association, Inc.



**WARNING!**

### NEVER OPERATE TIRES IN EXCESS OF THEIR RATED SPEED LIMIT!

Exceeding the tire's maximum speed rating can overheat the tire, which can lead to sudden tire failure and loss of vehicle control. The speed ratings do not imply that a vehicle can be safely driven at the speed for which the tire is rated. Speed ratings are based on laboratory tests, which relate to performance on the road, but are not applicable if tires are under inflated, overloaded, worn out, damaged or altered.

**NOTE:** All data shown here is subject to change without notice. Though every effort has been taken to ensure the accuracy of this data shown here, legal responsibility cannot be accepted by Toyo Tire U.S.A. Corp. or Toyo Tire & Rubber Co., Ltd., for any damage or loss coming from any undetected errors or any misprint.

## TRA P-Metric Load & Inflation Table

\*Never exceed the tire's maximum load as indicated on the sidewall.

Replacement tires must be of a size, load range, and load capacity (by inflation) that are capable of supporting the load of the vehicle's originally installed (O.E.) tires.

Single Load per tire in pounds

| Tire Size  | Standard Load Index | Extra Load Index | 26   | 29   | 32   | 35   | 36   | 38   | 41   | 42 |
|------------|---------------------|------------------|------|------|------|------|------|------|------|----|
| P145/80R12 | 74                  |                  | 705  | 739  | 783  | 816  |      |      |      |    |
| P155/70R13 | 75                  | 77               | 728  | 772  | 805  | 853  |      | 882  | 908  |    |
| P155/80R13 | 79                  |                  | 838  | 882  | 926  | 959  |      |      |      |    |
| P165/70R13 | 78                  |                  | 816  | 860  | 904  | 937  |      |      |      |    |
| P165/80R13 | 83                  |                  | 926  | 981  | 1025 | 1069 |      |      |      |    |
| P175/50R13 | 72                  | 74               | 672  | 705  | 739  | 783  |      | 805  | 827  |    |
| P175/70R13 | 82                  |                  | 893  | 948  | 992  | 1036 |      |      |      |    |
| P175/80R13 | 86                  |                  | 1025 | 1080 | 1135 | 1179 |      |      |      |    |
| P185/70R13 | 85                  |                  | 992  | 1036 | 1091 | 1135 |      |      |      |    |
| P185/80R13 | 90                  |                  | 1124 | 1190 | 1246 | 1301 |      |      |      |    |
| P195/70R13 | 88                  |                  | 1080 | 1135 | 1190 | 1246 |      |      |      |    |
| P205/60R13 | 86                  |                  | 1014 | 1069 | 1124 | 1179 |      |      |      |    |
| P205/70R13 | 91                  |                  | 1179 | 1235 | 1301 | 1356 |      |      |      |    |
| P215/50R13 | 84                  |                  | 948  | 992  | 1047 | 1091 |      |      |      |    |
| P165/70R14 | 81                  |                  | 783  | 849  | 915  | 981  | 1019 |      |      |    |
| P175/65R14 | 81                  | 84               | 882  | 937  | 981  | 1019 |      | 1058 | 1102 |    |
| P175/70R14 | 84                  |                  | 948  | 1003 | 1047 | 1102 |      |      |      |    |
| P175/75R14 | 86                  |                  | 1014 | 1069 | 1124 | 1168 |      |      |      |    |
| P185/60R14 | 82                  |                  | 904  | 948  | 1003 | 1047 |      |      |      |    |
| P185/65R14 | 85                  |                  | 970  | 1025 | 1069 | 1124 |      |      |      |    |
| P185/70R14 | 87                  |                  | 1036 | 1091 | 1146 | 1201 |      |      |      |    |
| P185/75R14 | 89                  |                  | 1113 | 1168 | 1235 | 1290 |      |      |      |    |
| P195/60R14 | 85                  |                  | 981  | 1036 | 1091 | 1135 |      |      |      |    |
| P195/65R14 | 88                  | 90               | 1058 | 1113 | 1168 | 1235 |      | 1279 | 1323 |    |
| P195/70R14 | 90                  |                  | 1135 | 1201 | 1257 | 1312 |      |      |      |    |
| P195/75R14 | 92                  | 95               | 1213 | 1279 | 1345 | 1400 |      | 1466 | 1521 |    |
| P205/60R14 | 88                  |                  | 1069 | 1135 | 1190 | 1235 |      |      |      |    |
| P205/70R14 | 93                  |                  | 1235 | 1301 | 1367 | 1433 |      |      |      |    |
| P205/75R14 | 95                  | 98               | 1323 | 1400 | 1466 | 1532 |      | 1587 | 1653 |    |
| P215/60R14 | 91                  |                  | 1168 | 1224 | 1290 | 1345 |      |      |      |    |
| P215/70R14 | 96                  |                  | 1345 | 1411 | 1488 | 1554 |      |      |      |    |
| P215/75R14 | 98                  |                  | 1433 | 1521 | 1587 | 1664 |      |      |      |    |
| P225/45R14 | 86                  |                  | 970  | 1038 | 1104 | 1168 |      |      |      |    |
| P225/60R14 | 94                  |                  | 1257 | 1323 | 1389 | 1455 |      |      |      |    |
| P225/70R14 | 98                  |                  | 1455 | 1532 | 1609 | 1675 |      |      |      |    |
| P225/75R14 | 101                 |                  | 1554 | 1642 | 1720 | 1797 |      |      |      |    |
| P235/60R14 | 96                  |                  | 1356 | 1422 | 1499 | 1565 |      |      |      |    |
| P245/50R14 | 93                  |                  | 1246 | 1312 | 1378 | 1433 |      |      |      |    |
| P245/60R14 | 98                  |                  | 1455 | 1532 | 1609 | 1675 |      |      |      |    |
| P265/50R14 | 98                  |                  | 1422 | 1499 | 1565 | 1642 |      |      |      |    |
| P175/50R15 | 75                  |                  | 661  | 716  | 772  | 827  | 853  |      |      |    |

| Tire Size  | Standard Load Index | Extra Load Index | 26   | 29   | 32   | 35   | 36   | 38   | 41   | 42 |
|------------|---------------------|------------------|------|------|------|------|------|------|------|----|
| P175/60R15 | 81                  |                  | 783  | 849  | 915  | 981  | 1019 |      |      |    |
| P175/65R15 | 84                  |                  | 849  | 926  | 992  | 1069 | 1102 |      |      |    |
| P185/55R15 | 82                  |                  | 805  | 871  | 948  | 1014 | 1047 |      |      |    |
| P185/60R15 | 84                  |                  | 948  | 1003 | 1047 | 1102 |      |      |      |    |
| P185/65R15 | 86                  |                  | 1014 | 1069 | 1124 | 1168 |      |      |      |    |
| P195/50R15 | 81                  |                  | 893  | 937  | 981  | 1019 |      |      |      |    |
| P195/55R15 | 84                  | 87               | 959  | 1014 | 1058 | 1102 |      | 1157 | 1201 |    |
| P195/60R15 | 87                  |                  | 1036 | 1091 | 1146 | 1190 |      |      |      |    |
| P195/65R15 | 89                  |                  | 1113 | 1168 | 1235 | 1279 |      |      |      |    |
| P195/75R15 | 94                  |                  | 1279 | 1345 | 1411 | 1477 |      |      |      |    |
| P205/50R15 | 84                  |                  | 970  | 1014 | 1069 | 1113 |      |      |      |    |
| P205/55R15 | 87                  |                  | 1047 | 1102 | 1157 | 1201 |      |      |      |    |
| P205/60R15 | 90                  |                  | 1124 | 1190 | 1246 | 1301 |      |      |      |    |
| P205/65R15 | 92                  | 95               | 1213 | 1279 | 1334 | 1400 |      | 1455 | 1521 |    |
| P205/70R15 | 95                  |                  | 1301 | 1367 | 1433 | 1499 |      |      |      |    |
| P205/75R15 | 97                  | 99               | 1389 | 1466 | 1532 | 1598 |      | 1664 | 1709 |    |
| P215/50R15 | 87                  |                  | 1047 | 1102 | 1157 | 1201 |      |      |      |    |
| P215/60R15 | 93                  |                  | 1224 | 1290 | 1345 | 1411 |      |      |      |    |
| P215/65R15 | 95                  |                  | 1312 | 1378 | 1455 | 1510 |      |      |      |    |
| P215/70R15 | 97                  |                  | 1411 | 1488 | 1554 | 1620 |      |      |      |    |
| P215/75R15 | 100                 | 102              | 1510 | 1587 | 1664 | 1742 |      | 1808 | 1874 |    |
| P225/50R15 | 90                  |                  | 1124 | 1190 | 1246 | 1301 |      |      |      |    |
| P225/55R15 | 92                  |                  | 1224 | 1290 | 1345 | 1389 |      |      |      |    |
| P225/60R15 | 95                  |                  | 1312 | 1389 | 1455 | 1521 |      |      |      |    |
| P225/70R15 | 100                 |                  | 1521 | 1598 | 1675 | 1753 |      |      |      |    |
| P225/75R15 | 102                 | 105              | 1631 | 1720 | 1797 | 1874 |      | 1951 | 2028 |    |
| P235/60R15 | 98                  |                  | 1422 | 1499 | 1565 | 1642 |      |      |      |    |
| P235/65R15 | 100                 |                  | 1521 | 1609 | 1687 | 1764 |      |      |      |    |
| P235/70R15 | 102                 |                  | 1642 | 1731 | 1808 | 1896 |      |      |      |    |
| P235/75R15 | 105                 | 108              | 1753 | 1852 | 1940 | 2028 |      | 2105 | 2183 |    |
| P245/50R15 | 95                  | 97               | 1301 | 1367 | 1444 | 1499 |      | 1565 | 1609 |    |
| P245/60R15 | 100                 |                  | 1521 | 1609 | 1687 | 1753 |      |      |      |    |
| P245/70R15 | 105                 | 108              | 1764 | 1852 | 1951 | 2028 |      | 2116 | 2194 |    |
| P255/55R15 | 100                 |                  | 1510 | 1587 | 1664 | 1742 |      |      |      |    |
| P255/60R15 | 102                 | 105              | 1631 | 1720 | 1808 | 1885 |      | 1962 | 2039 |    |
| P255/65R15 | 105                 |                  | 1753 | 1852 | 1940 | 2028 |      |      |      |    |
| P255/70R15 | 108                 | 110              | 1885 | 1984 | 2083 | 2183 |      | 2271 | 2337 |    |
| P265/50R15 | 99                  |                  | 1488 | 1565 | 1642 | 1720 |      |      |      |    |
| P265/70R15 | 110                 |                  | 2017 | 2127 | 2227 | 2337 |      |      |      |    |
| P265/75R15 | 112                 |                  | 2160 | 2282 | 2392 | 2469 |      |      |      |    |
| P275/35R15 | 91                  |                  | 1047 | 1135 | 1224 | 1312 | 1356 |      |      |    |
| P275/50R15 | 101                 |                  | 1587 | 1675 | 1753 | 1830 |      |      |      |    |
| P275/60R15 | 107                 |                  | 1863 | 1962 | 2050 | 2149 |      |      |      |    |
| P285/70R15 | 115                 |                  | 2293 | 2414 | 2535 | 2679 |      |      |      |    |
| P295/50R15 | 105                 | 108              | 1786 | 1885 | 1973 | 2061 |      | 2149 | 2205 |    |
| P295/55R15 | 109                 |                  | 1830 | 1962 | 2094 | 2216 | 2271 |      |      |    |

| Tire Size  | Standard Load Index | Extra Load Index | 26   | 29   | 32   | 35          | 36          | 38   | 41          | 42 |
|------------|---------------------|------------------|------|------|------|-------------|-------------|------|-------------|----|
| P295/60R15 | 111                 |                  | 2105 | 2216 | 2326 | <b>2403</b> |             |      |             |    |
| P295/65R15 | 114                 |                  | 2271 | 2392 | 2502 | <b>2601</b> |             |      |             |    |
| P305/50R15 | 108                 | 110              | 1896 | 1995 | 2094 | <b>2194</b> |             | 2282 | <b>2337</b> |    |
| P305/70R15 | 116                 |                  | 2227 | 2381 | 2535 | 2679        | <b>2756</b> |      |             |    |
| P315/60R15 | 116                 |                  | 2359 | 2480 | 2601 | <b>2756</b> |             |      |             |    |
| P325/50R15 | 112                 |                  | 2116 | 2238 | 2337 | <b>2447</b> |             |      |             |    |
| P345/55R15 | 118                 |                  | 2557 | 2701 | 2833 | <b>2910</b> |             |      |             |    |
| P185/55R16 | 83                  |                  | 827  | 893  | 970  | 1036        | <b>1074</b> |      |             |    |
| P185/60R16 | 86                  |                  | 904  | 981  | 1058 | 1135        | <b>1168</b> |      |             |    |
| P185/65R16 | 88                  |                  | 948  | 1036 | 1113 | 1190        | <b>1235</b> |      |             |    |
| P195/50R16 | 83                  |                  | 937  | 981  | 1036 | <b>1074</b> |             |      |             |    |
| P195/55R16 | 86                  |                  | 1003 | 1058 | 1113 | <b>1168</b> |             |      |             |    |
| P195/60R16 | 89                  |                  | 981  | 1069 | 1157 | 1235        | <b>1279</b> |      |             |    |
| P195/65R16 | 92                  |                  | 1069 | 1157 | 1257 | 1345        | <b>1389</b> |      |             |    |
| P205/40R16 | 79                  | 83               | 798  | 855  | 910  | <b>963</b>  | 996         | 1023 | <b>1074</b> |    |
| P205/45R16 | 83                  |                  | 827  | 893  | 970  | 1036        | <b>1074</b> |      |             |    |
| P205/50R16 | 86                  | 89               | 1014 | 1069 | 1124 | <b>1168</b> |             | 1213 | <b>1279</b> |    |
| P205/55R16 | 89                  |                  | 1091 | 1157 | 1213 | <b>1279</b> |             |      |             |    |
| P205/60R16 | 91                  | 94               | 1179 | 1246 | 1301 | <b>1356</b> |             | 1422 | <b>1477</b> |    |
| P205/65R16 | 94                  |                  | 1268 | 1334 | 1400 | <b>1477</b> |             |      |             |    |
| P205/70R16 | 96                  |                  | 1356 | 1433 | 1499 | <b>1565</b> |             |      |             |    |
| P215/50R16 | 89                  |                  | 1091 | 1157 | 1213 | <b>1279</b> |             |      |             |    |
| P215/55R16 | 91                  | 94               | 1179 | 1246 | 1312 | <b>1356</b> |             | 1422 | <b>1477</b> |    |
| P215/60R16 | 94                  |                  | 1279 | 1345 | 1411 | <b>1477</b> |             |      |             |    |
| P215/65R16 | 96                  |                  | 1367 | 1444 | 1521 | <b>1565</b> |             |      |             |    |
| P215/70R16 | 99                  |                  | 1466 | 1554 | 1620 | <b>1709</b> |             |      |             |    |
| P215/75R16 | 101                 |                  | 1576 | 1653 | 1742 | <b>1819</b> |             |      |             |    |
| P225/40R16 | 85                  |                  | 871  | 948  | 1025 | 1102        | <b>1135</b> |      |             |    |
| P225/50R16 | 91                  |                  | 1179 | 1246 | 1301 | <b>1367</b> |             |      |             |    |
| P225/55R16 | 94                  |                  | 1279 | 1345 | 1411 | <b>1477</b> |             |      |             |    |
| P225/60R16 | 97                  |                  | 1378 | 1455 | 1521 | <b>1609</b> |             |      |             |    |
| P225/65R16 | 99                  |                  | 1477 | 1565 | 1642 | <b>1709</b> |             |      |             |    |
| P225/70R16 | 101                 |                  | 1587 | 1675 | 1753 | <b>1819</b> |             |      |             |    |
| P225/75R16 | 104                 | 106              | 1698 | 1786 | 1874 | <b>1984</b> |             | 2039 | <b>2094</b> |    |
| P235/50R16 | 94                  |                  | 1268 | 1334 | 1400 | <b>1477</b> |             |      |             |    |
| P235/55R16 | 96                  |                  | 1378 | 1444 | 1521 | <b>1565</b> |             |      |             |    |
| P235/60R16 | 99                  |                  | 1477 | 1565 | 1642 | <b>1709</b> |             |      |             |    |
| P235/65R16 | 101                 |                  | 1598 | 1675 | 1764 | <b>1819</b> |             |      |             |    |
| P235/70R16 | 104                 | 107              | 1709 | 1808 | 1885 | <b>1984</b> |             | 2050 | <b>2149</b> |    |
| P235/75R16 | 106                 | 109              | 1830 | 1929 | 2028 | <b>2094</b> |             | 2205 | <b>2271</b> |    |
| P245/45R16 | 94                  |                  | 1226 | 1312 | 1396 | <b>1477</b> |             |      |             |    |
| P245/50R16 | 96                  |                  | 1356 | 1433 | 1510 | <b>1576</b> |             |      |             |    |
| P245/70R16 | 106                 |                  | 1841 | 1940 | 2028 | <b>2094</b> |             |      |             |    |
| P245/75R16 | 109                 | 112              | 1962 | 2072 | 2172 | <b>2271</b> |             | 2359 | <b>2469</b> |    |
| P255/50R16 | 99                  |                  | 1455 | 1532 | 1609 | <b>1687</b> |             |      |             |    |
| P255/60R16 | 104                 |                  | 1698 | 1797 | 1885 | <b>1984</b> |             |      |             |    |
| P255/65R16 | 106                 |                  | 1830 | 1929 | 2028 | <b>2094</b> |             |      |             |    |

| Tire Size  | Standard Load Index | Extra Load Index | 26   | 29   | 32   | 35          | 36          | 38   | 41          | 42 |
|------------|---------------------|------------------|------|------|------|-------------|-------------|------|-------------|----|
| P255/70R16 | 109                 | 112              | 1962 | 2072 | 2172 | <b>2271</b> |             | 2359 | <b>2469</b> |    |
| P265/50R16 | 101                 |                  | 1554 | 1642 | 1720 | <b>1797</b> |             |      |             |    |
| P265/60R16 | 106                 |                  | 1819 | 1918 | 2006 | <b>2094</b> |             |      |             |    |
| P265/65R16 | 109                 |                  | 1962 | 2061 | 2160 | <b>2271</b> |             |      |             |    |
| P265/70R16 | 111                 |                  | 2105 | 2216 | 2326 | <b>2403</b> |             |      |             |    |
| P265/75R16 | 114                 |                  | 2249 | 2370 | 2491 | <b>2601</b> |             |      |             |    |
| P275/50R16 | 103                 |                  | 1653 | 1742 | 1830 | <b>1929</b> |             |      |             |    |
| P275/65R16 | 111                 |                  | 2083 | 2205 | 2304 | <b>2403</b> |             |      |             |    |
| P275/70R16 | 114                 |                  | 2238 | 2359 | 2480 | <b>2601</b> |             |      |             |    |
| P285/60R16 | 111                 |                  | 2061 | 2172 | 2282 | <b>2403</b> |             |      |             |    |
| P285/65R16 | 113                 |                  | 2216 | 2337 | 2458 | <b>2535</b> |             |      |             |    |
| P295/50R16 | 107                 |                  | 1863 | 1962 | 2061 | <b>2149</b> |             |      |             |    |
| P295/65R16 | 116                 |                  | 2359 | 2491 | 2612 | <b>2756</b> |             |      |             |    |
| P315/45R16 | 109                 |                  | 1830 | 1962 | 2094 | 2216        | <b>2271</b> |      |             |    |
| P205/40R17 | 80                  |                  | 822  | 882  | 937  | <b>992</b>  |             |      |             |    |
| P205/50R17 | 88                  | 90               | 1058 | 1113 | 1168 | <b>1235</b> |             | 1279 | <b>1323</b> |    |
| P215/45R17 | 87                  |                  | 996  | 1067 | 1135 | <b>1201</b> |             |      |             |    |
| P215/50R17 | 90                  | 93               | 1146 | 1213 | 1268 | <b>1323</b> |             | 1378 | <b>1433</b> |    |
| P215/55R17 | 93                  |                  | 1235 | 1301 | 1367 | <b>1433</b> |             |      |             |    |
| P215/60R17 | 95                  |                  | 1334 | 1411 | 1477 | <b>1521</b> |             |      |             |    |
| P215/65R17 | 98                  |                  | 1433 | 1510 | 1587 | <b>1653</b> |             |      |             |    |
| P215/70R17 | 100                 |                  | 1422 | 1521 | 1620 | 1720        | <b>1764</b> |      |             |    |
| P225/45R17 | 90                  |                  | 1098 | 1175 | 1250 | <b>1323</b> |             |      |             |    |
| P225/50R17 | 93                  |                  | 1235 | 1301 | 1367 | <b>1433</b> |             |      |             |    |
| P225/55R17 | 95                  |                  | 1334 | 1411 | 1477 | <b>1521</b> |             |      |             |    |
| P225/60R17 | 98                  |                  | 1444 | 1521 | 1587 | <b>1653</b> |             |      |             |    |
| P225/65R17 | 100                 |                  | 1543 | 1631 | 1709 | <b>1764</b> |             |      |             |    |
| P235/45R17 | 93                  |                  | 1188 | 1272 | 1354 | <b>1433</b> |             |      |             |    |
| P235/50R17 | 95                  |                  | 1323 | 1400 | 1466 | <b>1521</b> |             |      |             |    |
| P235/55R17 | 98                  |                  | 1433 | 1510 | 1587 | <b>1653</b> |             |      |             |    |
| P235/60R17 | 100                 | 103              | 1543 | 1631 | 1709 | <b>1764</b> |             | 1863 | <b>1929</b> |    |
| P235/65R17 | 103                 |                  | 1664 | 1753 | 1841 | <b>1929</b> |             |      |             |    |
| P235/70R17 | 105                 | 108              | 1786 | 1885 | 1973 | <b>2039</b> |             | 2149 | <b>2205</b> |    |
| P235/75R17 | 108                 |                  | 1907 | 2017 | 2105 | <b>2205</b> |             |      |             |    |
| P235/85R17 | 113                 |                  | 2050 | 2194 | 2337 | 2469        | <b>2535</b> |      |             |    |
| P245/40R17 | 91                  |                  | 1047 | 1135 | 1224 | 1312        | <b>1356</b> |      |             |    |
| P245/45R17 | 95                  |                  | 1261 | 1351 | 1437 | <b>1521</b> |             |      |             |    |
| P245/50R17 | 98                  |                  | 1422 | 1499 | 1576 | <b>1653</b> |             |      |             |    |
| P245/65R17 | 105                 |                  | 1786 | 1885 | 1973 | <b>2039</b> |             |      |             |    |
| P245/70R17 | 108                 |                  | 1918 | 2017 | 2116 | <b>2205</b> |             |      |             |    |
| P245/75R17 | 110                 |                  | 2050 | 2160 | 2271 | <b>2337</b> |             |      |             |    |
| P255/40R17 | 94                  |                  | 1226 | 1312 | 1396 | <b>1477</b> |             |      |             |    |
| P255/45R17 | 98                  |                  | 1371 | 1468 | 1563 | <b>1653</b> |             |      |             |    |
| P255/50R17 | 100                 |                  | 1521 | 1598 | 1687 | <b>1764</b> |             |      |             |    |
| P255/55R17 | 102                 |                  | 1642 | 1731 | 1819 | <b>1874</b> |             |      |             |    |
| P255/60R17 | 105                 |                  | 1775 | 1874 | 1962 | <b>2039</b> |             |      |             |    |
| P255/65R17 | 108                 |                  | 1907 | 2017 | 2116 | <b>2205</b> |             |      |             |    |

| Tire Size  | Standard Load Index | Extra Load Index | 26   | 29   | 32   | 35          | 36          | 38   | 41          | 42          |
|------------|---------------------|------------------|------|------|------|-------------|-------------|------|-------------|-------------|
| P255/70R17 | 110                 |                  | 2050 | 2160 | 2271 | <b>2337</b> |             |      |             |             |
| P255/75R17 | 113                 |                  | 2194 | 2315 | 2425 | <b>2535</b> |             |      |             |             |
| P265/55R17 | 105                 |                  | 1753 | 1852 | 1940 | <b>2039</b> |             |      |             |             |
| P265/60R17 | 108                 |                  | 1896 | 1995 | 2094 | <b>2205</b> |             |      |             |             |
| P265/65R17 | 110                 |                  | 2039 | 2149 | 2260 | <b>2337</b> |             |      |             |             |
| P265/70R17 | 113                 |                  | 2194 | 2315 | 2425 | <b>2535</b> |             |      |             |             |
| P275/40R17 | 98                  |                  | 1371 | 1468 | 1563 | <b>1653</b> |             |      |             |             |
| P275/55R17 | 107                 |                  | 1874 | 1973 | 2072 | <b>2149</b> |             |      |             |             |
| P275/60R17 | 110                 |                  | 2017 | 2127 | 2238 | <b>2337</b> |             |      |             |             |
| P275/65R17 | 113                 |                  | 2172 | 2293 | 2403 | <b>2535</b> |             |      |             |             |
| P285/40R17 | 100                 |                  | 1464 | 1567 | 1667 | <b>1764</b> |             |      |             |             |
| P285/65R17 | 115                 |                  | 2315 | 2436 | 2557 | <b>2679</b> |             |      |             |             |
| P285/70R17 | 117                 |                  | 2480 | 2623 | 2745 | <b>2833</b> |             |      |             |             |
| P295/45R17 | 107                 |                  | 1742 | 1863 | 1973 | 2094        | <b>2149</b> |      |             |             |
| P305/45R17 | 109                 |                  | 1883 | 2017 | 2145 | <b>2271</b> |             |      |             |             |
| P305/60R17 | 116                 |                  | 2227 | 2381 | 2535 | 2679        | <b>2756</b> |      |             |             |
| P315/35R17 | 102                 |                  | 1554 | 1664 | 1770 | <b>1874</b> |             |      |             |             |
| P205/50R18 | 89                  |                  | 981  | 1069 | 1157 | 1235        | <b>1279</b> |      |             |             |
| P215/45R18 | 89                  |                  | 1060 | 1135 | 1208 | <b>1279</b> |             |      |             |             |
| P215/50R18 | 92                  | 96               | 1069 | 1157 | 1257 | <b>1345</b> | 1389        | 1433 | 1521        | <b>1565</b> |
| P215/55R18 | 94                  |                  | 1290 | 1367 | 1433 | <b>1477</b> |             |      |             |             |
| P225/40R18 | 88                  |                  | 1023 | 1096 | 1166 | <b>1235</b> |             |      |             |             |
| P225/45R18 | 91                  |                  | 1124 | 1204 | 1281 | <b>1356</b> |             |      |             |             |
| P225/50R18 | 94                  |                  | 1290 | 1356 | 1422 | <b>1477</b> |             |      |             |             |
| P225/55R18 | 97                  |                  | 1389 | 1466 | 1543 | <b>1609</b> |             |      |             |             |
| P225/60R18 | 99                  |                  | 1499 | 1576 | 1653 | <b>1709</b> |             |      |             |             |
| P235/45R18 | 94                  |                  | 1226 | 1312 | 1396 | <b>1477</b> |             |      |             |             |
| P235/50R18 | 97                  | 99               | 1389 | 1455 | 1532 | <b>1609</b> |             | 1664 | <b>1709</b> |             |
| P235/55R18 | 99                  | 102              | 1499 | 1576 | 1653 | <b>1709</b> |             | 1797 | <b>1874</b> |             |
| P235/60R18 | 102                 |                  | 1609 | 1698 | 1786 | <b>1874</b> |             |      |             |             |
| P235/65R18 | 104                 |                  | 1731 | 1830 | 1918 | <b>1984</b> |             |      |             |             |
| P245/40R18 | 93                  |                  | 1188 | 1272 | 1354 | <b>1433</b> |             |      |             |             |
| P245/45R18 | 96                  | 100              | 1299 | 1391 | 1479 | <b>1565</b> | 1638        | 1680 | <b>1764</b> |             |
| P245/50R18 | 99                  |                  | 1488 | 1565 | 1642 | <b>1709</b> |             |      |             |             |
| P245/55R18 | 102                 |                  | 1598 | 1687 | 1775 | <b>1874</b> |             |      |             |             |
| P245/60R18 | 104                 |                  | 1731 | 1819 | 1907 | <b>1984</b> |             |      |             |             |
| P245/65R18 | 107                 | 110              | 1742 | 1863 | 1973 | 2094        | <b>2149</b> | 2172 | 2282        | <b>2337</b> |
| P245/70R18 | 110                 |                  | 1885 | 2017 | 2149 | 2271        | <b>2337</b> |      |             |             |
| P255/35R18 |                     | 94               | 1014 | 1102 | 1190 | 1279        | 1323        | 1356 | 1433        | <b>1477</b> |
| P255/40R18 | 95                  |                  | 1168 | 1268 | 1378 | 1477        | <b>1521</b> |      |             |             |
| P255/45R18 | 99                  |                  | 1418 | 1517 | 1614 | <b>1709</b> |             |      |             |             |
| P255/50R18 | 101                 |                  | 1587 | 1675 | 1753 | <b>1819</b> |             |      |             |             |
| P255/55R18 | 104                 |                  | 1709 | 1808 | 1896 | <b>1984</b> |             |      |             |             |
| P255/60R18 | 107                 |                  | 1852 | 1951 | 2039 | <b>2149</b> |             |      |             |             |
| P255/65R18 | 109                 |                  | 1984 | 2094 | 2194 | <b>2271</b> |             |      |             |             |
| P255/70R18 | 112                 |                  | 2127 | 2249 | 2359 | <b>2469</b> |             |      |             |             |
| P265/35R18 | 93                  |                  | 1102 | 1201 | 1290 | 1389        | <b>1433</b> |      |             |             |

| Tire Size  | Standard Load Index | Extra Load Index | 26   | 29   | 32   | 35          | 36          | 38   | 41          | 42          |
|------------|---------------------|------------------|------|------|------|-------------|-------------|------|-------------|-------------|
| P265/45R18 | 101                 |                  | 1466 | 1576 | 1675 | 1775        | <b>1819</b> |      |             |             |
| P265/55R18 | 106                 |                  | 1830 | 1929 | 2017 | <b>2094</b> |             |      |             |             |
| P265/60R18 | 109                 |                  | 1973 | 2083 | 2183 | <b>2271</b> |             |      |             |             |
| P265/65R18 | 112                 |                  | 2116 | 2238 | 2348 | <b>2469</b> |             |      |             |             |
| P265/70R18 | 114                 |                  | 2271 | 2403 | 2513 | <b>2601</b> |             |      |             |             |
| P275/40R18 | 99                  |                  | 1312 | 1433 | 1543 | 1653        | <b>1709</b> |      |             |             |
| P275/55R18 | 109                 |                  | 1951 | 2050 | 2149 | <b>2271</b> |             |      |             |             |
| P275/60R18 | 111                 |                  | 2094 | 2216 | 2326 | <b>2403</b> |             |      |             |             |
| P275/65R18 | 114                 |                  | 2260 | 2381 | 2502 | <b>2601</b> |             |      |             |             |
| P275/70R18 | 116                 |                  | 2227 | 2381 | 2535 | 2679        | <b>2756</b> |      |             |             |
| P285/55R18 | 111                 |                  | 2072 | 2183 | 2282 | <b>2403</b> |             |      |             |             |
| P285/60R18 | 114                 |                  | 2227 | 2348 | 2469 | <b>2601</b> |             |      |             |             |
| P295/30R18 | 94                  |                  | 1135 | 1235 | 1334 | 1433        | <b>1477</b> |      |             |             |
| P295/45R18 | 108                 |                  | 1828 | 1958 | 2083 | <b>2205</b> |             |      |             |             |
| P305/40R18 | 106                 |                  | 1687 | 1808 | 1929 | 2039        | <b>2094</b> |      |             |             |
| P305/45R18 | 110                 |                  | 1885 | 2017 | 2149 | 2271        | <b>2337</b> |      |             |             |
| P215/35R19 |                     | 85               | 783  | 849  | 915  | 981         | 1019        | 1036 | 1102        | <b>1135</b> |
| P225/45R19 | 92                  |                  | 1069 | 1157 | 1257 | 1345        | <b>1389</b> |      |             |             |
| P225/55R19 | 99                  |                  | 1312 | 1433 | 1543 | 1653        | <b>1709</b> |      |             |             |
| P235/40R19 | 91                  |                  | 1047 | 1135 | 1224 | 1312        | <b>1356</b> |      |             |             |
| P235/45R19 | 95                  |                  | 1261 | 1351 | 1437 | <b>1521</b> |             |      |             |             |
| P235/50R19 | 99                  |                  | 1312 | 1433 | 1543 | 1653        | <b>1709</b> |      |             |             |
| P235/55R19 | 101                 |                  | 1554 | 1642 | 1720 | <b>1819</b> |             |      |             |             |
| P245/35R19 | 89                  | 93               | 1060 | 1135 | 1208 | <b>1279</b> | 1332        | 1365 | <b>1433</b> |             |
| P245/40R19 | 94                  | 98               | 1135 | 1235 | 1334 | 1433        | <b>1477</b> | 1510 | 1609        | <b>1653</b> |
| P245/45R19 | 98                  |                  | 1268 | 1378 | 1488 | 1598        | <b>1653</b> |      |             |             |
| P245/50R19 | 100                 | 104              | 1422 | 1521 | 1620 | 1720        | <b>1764</b> | 1819 | 1929        | <b>1984</b> |
| P245/55R19 | 103                 |                  | 1554 | 1664 | 1775 | 1874        | <b>1929</b> |      |             |             |
| P255/40R19 | 96                  |                  | 1299 | 1391 | 1479 | <b>1565</b> |             |      |             |             |
| P255/45R19 | 100                 |                  | 1464 | 1567 | 1667 | <b>1764</b> |             |      |             |             |
| P255/50R19 | 103                 |                  | 1554 | 1664 | 1775 | 1874        | <b>1929</b> |      |             |             |
| P255/60R19 | 108                 |                  | 1918 | 2028 | 2127 | <b>2205</b> |             |      |             |             |
| P265/40R19 | 98                  |                  | 1268 | 1378 | 1488 | 1598        | <b>1653</b> |      |             |             |
| P275/30R19 |                     | 96               | 1069 | 1157 | 1257 | 1345        | 1389        | 1433 | 1521        | <b>1565</b> |
| P275/40R19 | 101                 |                  | 1508 | 1616 | 1720 | <b>1819</b> |             |      |             |             |
| P285/30R19 | 94                  |                  | 1135 | 1235 | 1334 | 1433        | <b>1477</b> |      |             |             |
| P285/35R19 | 99                  |                  | 1312 | 1433 | 1543 | 1653        | <b>1709</b> |      |             |             |
| P295/25R19 | 90                  |                  | 1014 | 1102 | 1190 | 1279        | <b>1323</b> |      |             |             |
| P315/40R19 | 109                 |                  | 1883 | 2017 | 2145 | <b>2271</b> |             |      |             |             |
| P225/35R20 |                     | 90               | 904  | 981  | 1058 | 1135        | 1168        | 1213 | 1290        | <b>1323</b> |
| P235/45R20 | 96                  |                  | 1299 | 1391 | 1479 | <b>1565</b> |             |      |             |             |
| P235/55R20 | 102                 |                  | 1510 | 1620 | 1720 | 1830        | <b>1874</b> |      |             |             |
| P245/40R20 | 95                  |                  | 1168 | 1268 | 1378 | 1477        | <b>1521</b> |      |             |             |
| P245/50R20 | 102                 |                  | 1510 | 1620 | 1720 | 1830        | <b>1874</b> |      |             |             |
| P245/60R20 | 107                 |                  | 1742 | 1863 | 1973 | 2094        | <b>2149</b> |      |             |             |
| P255/35R20 | 93                  | 97               | 1188 | 1272 | 1354 | <b>1433</b> | 1495        | 1534 | <b>1609</b> |             |
| P245/45R20 |                     | 103              | 1312 | 1433 | 1543 | 1653        | 1709        | 1764 | 1874        | <b>1929</b> |

| Tire Size  | Standard Load Index | Extra Load Index | 26   | 29   | 32   | 35          | 36          | 38   | 41          | 42          |
|------------|---------------------|------------------|------|------|------|-------------|-------------|------|-------------|-------------|
| P255/45R20 | 101                 |                  | 1466 | 1576 | 1675 | 1775        | <b>1819</b> |      |             |             |
| P255/50R20 | 104                 |                  | 1709 | 1808 | 1896 | <b>1984</b> |             |      |             |             |
| P255/55R20 | 107                 |                  | 1742 | 1863 | 1973 | 2094        | <b>2149</b> |      |             |             |
| P265/50R20 | 106                 |                  | 1830 | 1929 | 2017 | <b>2094</b> |             |      |             |             |
| P275/30R20 |                     | 97               | 1102 | 1201 | 1290 | 1389        | 1433        | 1477 | 1565        | <b>1609</b> |
| P275/35R20 |                     | 101              | 1235 | 1345 | 1455 | 1554        | 1609        | 1664 | 1764        | <b>1819</b> |
| P275/40R20 |                     | 105              | 1510 | 1620 | 1720 | 1830        | 1874        | 1896 | 1995        | <b>2039</b> |
| P275/45R20 | 106                 |                  | 1737 | 1861 | 1980 | <b>2094</b> |             |      |             |             |
| P275/55R20 | 111                 |                  | 2094 | 2216 | 2315 | <b>2403</b> |             |      |             |             |
| P275/60R20 | 114                 |                  | 2260 | 2381 | 2502 | <b>2601</b> |             |      |             |             |
| P285/30R20 | 95                  |                  | 1168 | 1268 | 1378 | 1477        | <b>1521</b> |      |             |             |
| P285/50R20 | 111                 |                  | 2061 | 2172 | 2271 | <b>2403</b> |             |      |             |             |
| P295/40R20 | 106                 |                  | 1737 | 1861 | 1980 | <b>2094</b> |             |      |             |             |
| P295/45R20 | 110                 | 114              | 1938 | 2077 | 2209 | <b>2337</b> | 2416        | 2480 | <b>2601</b> |             |
| P305/35R20 | 104                 |                  | 1598 | 1720 | 1830 | 1929        | <b>1984</b> |      |             |             |
| P305/55R20 |                     | 116              | 2227 | 2381 | 2535 | 2679        | 2756        | 2756 | 2756        | <b>2756</b> |
| P315/30R20 | 101                 |                  | 1466 | 1576 | 1675 | 1775        | <b>1819</b> |      |             |             |
| P335/25R20 | 99                  |                  | 1312 | 1433 | 1543 | 1653        | <b>1709</b> |      |             |             |
| P255/45R21 | 102                 |                  | 1554 | 1664 | 1770 | <b>1874</b> |             |      |             |             |
| P265/45R21 | 104                 |                  | 1598 | 1720 | 1830 | 1929        | <b>1984</b> |      |             |             |
| P265/35R22 |                     | 102              | 1268 | 1378 | 1488 | 1598        | 1653        | 1720 | 1819        | <b>1874</b> |
| P265/40R22 |                     | 105              | 1510 | 1620 | 1720 | 1830        | 1874        | 1896 | 1995        | <b>2039</b> |
| P275/45R22 | 108                 | 112              | 1828 | 1958 | 2083 | <b>2205</b> | 2293        | 2352 | <b>2469</b> |             |
| P275/50R22 | 111                 |                  | 1940 | 2083 | 2216 | 2337        | <b>2403</b> |      |             |             |
| P285/45R22 | 110                 |                  | 1938 | 2077 | 2209 | <b>2337</b> |             |      |             |             |
| P285/45R22 |                     | 114              | 1938 | 2077 | 2209 | 2337        | 2416        | 2480 | <b>2601</b> |             |
| P305/40R22 |                     | 114              | 1885 | 2017 | 2149 | 2271        | 2337        | 2425 | 2546        | <b>2601</b> |
| P305/45R22 |                     | 118              | 2158 | 2310 | 2458 | 2601        | 2703        | 2773 | <b>2910</b> |             |
| P265/25R23 |                     | 92               | 948  | 1036 | 1113 | 1190        | 1235        | 1268 | 1356        | <b>1389</b> |
| P305/40R23 |                     | 115              | 1993 | 2134 | 2271 | 2403        | 2489        | 2553 | <b>2679</b> |             |
| P255/30R24 |                     | 97               | 1102 | 1201 | 1290 | 1389        | 1433        | 1477 | 1565        | <b>1609</b> |
| P275/25R24 | 92                  | 96               | 1069 | 1157 | 1257 | 1345        | <b>1389</b> | 1433 | 1521        | <b>1565</b> |
| P285/30R24 |                     | 103              | 1312 | 1433 | 1543 | 1653        | 1709        | 1764 | 1874        | <b>1929</b> |
| P305/35R24 |                     | 112              | 1786 | 1907 | 2028 | 2149        | 2205        | 2304 | 2414        | <b>2469</b> |
| P385/35R24 | 116                 |                  | 2227 | 2381 | 2535 | 2679        | <b>2756</b> |      |             |             |
| P405/25R24 |                     | 116              | 2105 | 2249 | 2392 | 2535        | 2601        | 2712 | 2756        | <b>2756</b> |
| P275/25R26 |                     | 98               | 1135 | 1235 | 1334 | 1433        | 1477        | 1510 | 1609        | <b>1653</b> |

## TRA Light Truck Inflation Table

\* Never exceed the tire's maximum load as indicated on the sidewall.

Replacement tires must be of a size, load range, and load capacity (by inflation) that are capable of supporting the load of the vehicle's originally installed (O.E.) tires.

| Size        | Single/<br>Dual | Tire Load Limits (lbs.) at Various Inflation Pressures (PSI) |      |      |              |      |      |              |      |      |              |
|-------------|-----------------|--------------------------------------------------------------|------|------|--------------|------|------|--------------|------|------|--------------|
|             |                 | 35                                                           | 40   | 45   | 50           | 55   | 60   | 65           | 70   | 75   | 80           |
| LT175/75R14 | Dual            | 870                                                          | 955  | 1035 | 1135 (C) 85  |      |      |              |      |      |              |
| LT175/75R14 | Single          | 955                                                          | 1050 | 1140 | 1235 (C) 88  |      |      |              |      |      |              |
| LT185/75R14 | Dual            | 945                                                          | 1035 | 1130 | 1235 (C) 88  |      |      |              |      |      |              |
| LT185/75R14 | Single          | 1040                                                         | 1140 | 1240 | 1355 (C) 91  |      |      |              |      |      |              |
| LT195/75R14 | Dual            | 1015                                                         | 1115 | 1210 | 1325 (C) 90  | 1390 | 1480 | 1565 (D) 96  |      |      |              |
| LT195/75R14 | Single          | 1115                                                         | 1225 | 1330 | 1435 (C) 93  | 1530 | 1625 | 1710 (D) 99  |      |      |              |
| LT205/70R14 | Dual            | 1045                                                         | 1150 | 1245 | 1355 (C) 91  | 1440 | 1525 | 1610 (D) 97  | 1700 | 1785 | 1875 (E) 102 |
| LT205/70R14 | Single          | 1150                                                         | 1265 | 1370 | 1475 (C) 94  | 1580 | 1675 | 1765 (D) 100 | 1870 | 1960 | 2040 (E) 105 |
| LT215/70R14 | Dual            | 1125                                                         | 1235 | 1340 | 1475 (C) 94  |      |      |              |      |      |              |
| LT215/70R14 | Single          | 1235                                                         | 1355 | 1470 | 1610 (C) 97  |      |      |              |      |      |              |
| LT215/75R14 | Dual            | 1170                                                         | 1290 | 1395 | 1520 (C) 95  | 1605 | 1710 | 1820 (D) 101 |      |      |              |
| LT215/75R14 | Single          | 1285                                                         | 1415 | 1535 | 1655 (C) 98  | 1765 | 1880 | 1985 (D) 104 |      |      |              |
| LT195/75R15 | Dual            | 1060                                                         | 1165 | 1265 | 1390 (C) 92  |      |      |              |      |      |              |
| LT195/75R15 | Single          | 1165                                                         | 1280 | 1390 | 1520 (C) 95  |      |      |              |      |      |              |
| LT205/70R15 | Dual            | 1090                                                         | 1200 | 1305 | 1435 (C) 93  |      |      |              |      |      |              |
| LT205/70R15 | Single          | 1200                                                         | 1320 | 1435 | 1565 (C) 96  |      |      |              |      |      |              |
| LT205/75R15 | Dual            | 1145                                                         | 1260 | 1365 | 1520 (C) 95  | 1575 | 1675 | 1765 (D) 100 |      |      |              |
| LT205/75R15 | Single          | 1260                                                         | 1385 | 1500 | 1655 (C) 98  | 1730 | 1840 | 1930 (D) 103 |      |      |              |
| LT215/75R15 | Dual            | 1225                                                         | 1340 | 1460 | 1610 (C) 97  | 1680 | 1785 | 1930 (D) 103 |      |      |              |
| LT215/75R15 | Single          | 1345                                                         | 1475 | 1605 | 1765 (C) 100 | 1845 | 1960 | 2095 (D) 106 |      |      |              |
| LT215/80R15 | Dual            | 1275                                                         | 1395 | 1515 | 1655         | 1745 | 1855 | 1930 (D) 103 |      |      |              |
| LT215/80R15 | Single          | 1400                                                         | 1535 | 1665 | 1820         | 1920 | 2040 | 2150 (D) 107 |      |      |              |
| LT225/75R15 | Dual            | 1315                                                         | 1440 | 1565 | 1710 (C) 99  | 1800 | 1915 | 1985 (D) 104 |      |      |              |
| LT225/75R15 | Single          | 1445                                                         | 1585 | 1720 | 1875 (C) 102 | 1980 | 2105 | 2205 (D) 108 |      |      |              |
| LT235/70R15 | Dual            | 1335                                                         | 1465 | 1595 | 1710 (C) 99  | 1830 | 1945 | 2040 (D) 105 | 2165 | 2275 | 2335 (E) 110 |
| LT235/70R15 | Single          | 1465                                                         | 1610 | 1750 | 1875 (C) 102 | 2010 | 2140 | 2270 (D) 109 | 2380 | 2500 | 2600 (E) 114 |
| LT235/75R15 | Dual            | 1390                                                         | 1530 | 1660 | 1820 (C) 101 | 1910 | 2035 | 2150 (D) 107 | 2265 | 2375 | 2535 (E) 113 |
| LT235/75R15 | Single          | 1530                                                         | 1680 | 1825 | 1985 (C) 104 | 2100 | 2235 | 2335 (D) 110 | 2490 | 2610 | 2755 (E) 116 |
| LT245/65R15 | Single          | 1450                                                         | 1595 | 1730 | 1875 (C) 102 |      |      |              |      |      |              |
| LT245/70R15 | Dual            | 1420                                                         | 1555 | 1695 | 1875 (C) 102 |      |      |              |      |      |              |
| LT245/70R15 | Single          | 1560                                                         | 1710 | 1860 | 2040 (C) 105 |      |      |              |      |      |              |
| LT245/75R15 | Dual            | 1490                                                         | 1635 | 1775 | 1930 (C) 103 |      |      |              |      |      |              |
| LT245/75R15 | Single          | 1635                                                         | 1795 | 1950 | 2150 (C) 107 |      |      |              |      |      |              |
| LT255/70R15 | Dual            | 1505                                                         | 1650 | 1795 | 1930 (C) 103 | 2065 | 2195 | 2335 (D) 110 |      |      |              |
| LT255/70R15 | Single          | 1655                                                         | 1815 | 1970 | 2150 (C) 107 | 2270 | 2410 | 2535 (D) 113 |      |      |              |
| LT255/75R15 | Dual            | 1575                                                         | 1730 | 1880 | 2040 (C) 105 |      |      |              |      |      |              |
| LT255/75R15 | Single          | 1730                                                         | 1900 | 2065 | 2270 (C) 109 |      |      |              |      |      |              |
| LT265/70R15 | Dual            | 1595                                                         | 1750 | 1900 | 2040 (C) 105 |      |      |              |      |      |              |
| LT265/70R15 | Single          | 1750                                                         | 1925 | 2090 | 2270 (C) 109 |      |      |              |      |      |              |
| LT265/75R15 | Dual            | 1675                                                         | 1840 | 1995 | 2205 (C) 108 |      |      |              |      |      |              |
| LT265/75R15 | Single          | 1840                                                         | 2020 | 2195 | 2405 (C) 111 |      |      |              |      |      |              |
| LT285/70R15 | Dual            | 1780                                                         | 1950 | 2120 | 2335 (C) 110 | 2440 | 2595 | 2755 (D) 116 |      |      |              |
| Size        | Single/         | Tire Load Limits (lbs.) at Various Inflation Pressures (PSI) |      |      |              |      |      |              |      |      |              |

|             | Dual    | 35                                                           | 40   | 45   | 50           | 55   | 60   | 65           | 70   | 75   | 80           |
|-------------|---------|--------------------------------------------------------------|------|------|--------------|------|------|--------------|------|------|--------------|
| LT285/70R15 | Single  | 1955                                                         | 2145 | 2330 | 2535 (C) 113 | 2680 | 2850 | 3000 (D) 119 |      |      |              |
| LT315/70R15 | Dual    | 2150 (C) 107                                                 | 2275 | 2470 | 2680 (D) 115 |      |      |              |      |      |              |
| LT315/70R15 | Single  | 2335 (C) 110                                                 | 2500 | 2715 | 2910 (D) 118 |      |      |              |      |      |              |
| LT325/60R15 | Single  | 2095 (C) 106                                                 |      |      |              |      |      |              |      |      |              |
| LT215/65R16 | Dual    | 1145                                                         | 1255 | 1365 | 1520         | 1570 | 1670 | 1765 (D) 100 |      |      |              |
| LT215/65R16 | Single  | 1260                                                         | 1380 | 1500 | 1655         | 1725 | 1835 | 1930 (D) 103 |      |      |              |
| LT215/70R16 | Dual    | 1220                                                         | 1340 | 1455 | 1610 (C) 97  |      |      |              |      |      |              |
| LT215/70R16 | Single  | 1340                                                         | 1475 | 1600 | 1765 (C) 100 |      |      |              |      |      |              |
| LT215/80R16 | Dual    | 1325                                                         | 1455 | 1580 | 1710         | 1820 | 1935 | 2040 (D) 105 |      |      |              |
| LT215/80R16 | Single  | 1455                                                         | 1600 | 1735 | 1875         | 2000 | 2125 | 2270 (D) 109 |      |      |              |
| LT215/85R16 | Dual    | 1360                                                         | 1490 | 1625 | 1765 (C) 100 | 1865 | 1985 | 2150 (D) 107 | 2210 | 2320 | 2470 (E) 112 |
| LT215/85R16 | Single  | 1495                                                         | 1640 | 1785 | 1940 (C) 103 | 2050 | 2180 | 2335 (D) 110 | 2430 | 2550 | 2680 (E) 115 |
| LT225/70R16 | Dual    | 1305                                                         | 1435 | 1555 | 1710 (C) 99  |      |      |              |      |      |              |
| LT225/70R16 | Single  | 1435                                                         | 1575 | 1710 | 1875 (C) 102 |      |      |              |      |      |              |
| LT225/75R16 | Dual    | 1365                                                         | 1500 | 1630 | 1765 (C) 100 | 1875 | 1995 | 2150 (D) 107 | 2220 | 2330 | 2470 (E) 112 |
| LT225/75R16 | Single  | 1500                                                         | 1650 | 1790 | 1940 (C) 103 | 2060 | 2190 | 2335 (D) 110 | 2440 | 2560 | 2680 (E) 115 |
| LT235/70R16 | Dual    | 1390                                                         | 1525 | 1655 | 1820 (C) 101 | 1905 | 2025 | 2150 (D) 107 |      |      |              |
| LT235/70R16 | Single  | 1525                                                         | 1675 | 1820 | 1985 (C) 104 | 2095 | 2225 | 2335 (D) 110 |      |      |              |
| LT235/75R16 | Dual    | 1450                                                         | 1595 | 1730 | 1930         | 1995 | 2115 | 2270         | 2355 | 2475 | 2600 (E) 114 |
| LT235/75R16 | Single  | 1595                                                         | 1750 | 1900 | 2095         | 2190 | 2325 | 2470         | 2590 | 2720 | 2835 (E) 117 |
| LT235/85R16 | Dual    | 1545                                                         | 1700 | 1845 | 2006 (C) 104 | 2125 | 2260 | 2381 (D) 111 | 2515 | 2645 | 2778 (E) 116 |
| LT235/85R16 | Single  | 1700                                                         | 1870 | 2030 | 2205 (C) 108 | 2335 | 2485 | 2623 (D) 114 | 2765 | 2905 | 3042 (E) 120 |
| LT245/70R16 | Dual    | 1475                                                         | 1620 | 1760 | 1930 (C) 103 | 2025 | 2150 | 2335 (D) 110 | 2400 | 2515 | 2680 (E) 115 |
| LT245/70R16 | Single  | 1620                                                         | 1780 | 1935 | 2095 (C) 106 | 2225 | 2365 | 2535 (D) 113 | 2635 | 2765 | 2910 (E) 118 |
| LT245/75R16 | Dual    | 1545                                                         | 1700 | 1845 | 2006 (C) 104 | 2125 | 2255 | 2381 (D) 111 | 2515 | 2640 | 2778 (E) 116 |
| LT245/75R16 | Single  | 1700                                                         | 1870 | 2030 | 2205 (C) 108 | 2335 | 2480 | 2623 (D) 114 | 2765 | 2900 | 3042 (E) 120 |
| LT255/70R16 | Dual    | 1565                                                         | 1720 | 1865 | 1985 (C) 104 | 2150 | 2285 | 2470 (D) 112 | 2545 | 2665 | 2835 (E) 117 |
| LT255/70R16 | Single  | 1720                                                         | 1890 | 2050 | 2205 (C) 108 | 2360 | 2510 | 2680 (D) 115 | 2795 | 2930 | 3085 (E) 120 |
| LT255/85R16 | Dual    | 1745                                                         | 1920 | 2085 | 2270 (C) 109 | 2400 | 2555 | 2755 (D) 116 | 2840 | 2980 | 3085 (E) 120 |
| LT255/85R16 | Single  | 1920                                                         | 2110 | 2290 | 2470 (C) 112 | 2635 | 2805 | 3000 (D) 119 | 3120 | 3275 | 3415 (E) 123 |
| LT265/70R16 | Dual    | 1655                                                         | 1820 | 1975 | 2150 (C) 107 | 2275 | 2415 | 2600 (D) 114 | 2690 | 2825 | 2910 (E) 118 |
| LT265/70R16 | Single  | 1820                                                         | 2000 | 2170 | 2335 (C) 110 | 2500 | 2655 | 2835 (D) 117 | 2955 | 3105 | 3195 (E) 121 |
| LT265/75R16 | Dual    | 1740                                                         | 1910 | 2075 | 2270 (C) 109 | 2390 | 2540 | 2755 (D) 116 | 2825 | 2965 | 3085 (E) 120 |
| LT265/75R16 | Single  | 1910                                                         | 2100 | 2280 | 2470 (C) 112 | 2625 | 2790 | 3000 (D) 119 | 3105 | 3260 | 3415 (E) 123 |
| LT275/70R16 | Dual    | 1750                                                         | 1920 | 2090 | 2270 (C) 109 | 2400 | 2555 | 2755 (D) 116 |      |      |              |
| LT275/70R16 | Single  | 1925                                                         | 2110 | 2295 | 2470 (C) 112 | 2640 | 2805 | 3000 (D) 119 |      |      |              |
| LT285/60R16 | Single  | 1750                                                         | 1920 | 2085 | 2270 (C) 109 |      |      |              |      |      |              |
| LT285/70R16 | Dual    | 1845                                                         | 2025 | 2200 | 2335 (C) 110 | 2535 | 2695 | 2835         | 3000 | 3150 | 3305 (E) 122 |
| LT285/70R16 | Single  | 2030                                                         | 2225 | 2420 | 2600 (C) 114 | 2785 | 2960 | 3085         | 3295 | 3460 | 3640 (E) 125 |
| LT285/75R16 | Dual    | 1940                                                         | 2130 | 2310 | 2535 (C) 113 | 2660 | 2830 | 3000 (D) 119 | 3155 | 3310 | 3415 (E) 123 |
| LT285/75R16 | Single  | 2130                                                         | 2340 | 2540 | 2755 (C) 116 | 2925 | 3110 | 3305 (D) 122 | 3465 | 3635 | 3750 (E) 126 |
| LT295/75R16 | Dual    | 2040                                                         | 2240 | 2430 | 2680 (C) 115 | 2795 | 2970 | 3085 (D) 120 | 3310 | 3470 | 3640 (E) 125 |
| LT295/75R16 | Single  | 2240                                                         | 2460 | 2670 | 2910 (C) 118 | 3070 | 3265 | 3415 (D) 123 | 3635 | 3815 | 3970 (E) 128 |
| LT305/70R16 | Dual    | 2040                                                         | 2245 | 2440 | 2680 (D) 115 | 2805 | 2980 | 3195 (E) 121 | 3320 | 3485 | 3640 (F) 125 |
| LT305/70R16 | Single  | 2270                                                         | 2465 | 2680 | 2910 (D) 118 | 3085 | 3275 | 3525 (E) 124 | 3650 | 3830 | 3970 (F) 128 |
| LT305/75R16 | Dual    | 2205                                                         | 2360 | 2565 | 2835         | 2955 | 3135 | 3305 (E) 122 |      |      |              |
| LT305/75R16 | Single  | 2405                                                         | 2595 | 2820 | 3085         | 3245 | 3445 | 3640 (E) 125 |      |      |              |
| LT315/55R16 | Single  | 1875                                                         | 2020 | 2195 | 2405 (D) 111 |      |      |              |      |      |              |
| LT315/70R16 | Dual    | 2205                                                         | 2355 | 2560 | 2835 (D) 117 |      |      |              |      |      |              |
| LT315/70R16 | Single  | 2405                                                         | 2590 | 2815 | 3085 (D) 120 |      |      |              |      |      |              |
| Size        | Single/ | Tire Load Limits (lbs.) at Various Inflation Pressures (PSI) |      |      |              |      |      |              |      |      |              |

|             | Dual    | 35                                                           | 40   | 45   | 50           | 55   | 60   | 65           | 70   | 75   | 80           |
|-------------|---------|--------------------------------------------------------------|------|------|--------------|------|------|--------------|------|------|--------------|
| LT315/75R16 | Dual    | 2335 (C) 110                                                 | 2470 | 2685 | 2910 (D) 118 | 3090 | 3285 | 3525 (E) 124 |      |      |              |
| LT315/75R16 | Single  | 2535 (C) 113                                                 | 2715 | 2950 | 3195 (D) 121 | 3395 | 3610 | 3860 (E) 127 |      |      |              |
| LT325/80R16 | Dual    | 2535                                                         | 2705 | 2935 | 3195 (D) 121 |      |      |              |      |      |              |
| LT325/80R16 | Single  | 2755                                                         | 2970 | 3225 | 3525 (D) 124 |      |      |              |      |      |              |
| LT335/70R16 | Single  | 2680                                                         | 2845 | 3090 | 3415 (D) 123 | 3560 | 3780 | 3970 (E) 128 |      |      |              |
| LT345/55R16 | Single  | 2150                                                         | 2325 | 2525 | 2755 (D) 116 |      |      |              |      |      |              |
| LT345/75R16 | Single  | 2910                                                         | 3135 | 3405 | 3750 (D) 126 |      |      |              |      |      |              |
| LT355/70R16 | Dual    | 2680                                                         | 2835 | 3075 | 3305 (D) 122 |      |      |              |      |      |              |
| LT355/70R16 | Single  | 2910                                                         | 3115 | 3380 | 3640 (D) 125 |      |      |              |      |      |              |
| LT365/70R16 | Dual    | 2755                                                         | 2960 | 3210 | 3525 (D) 124 |      |      |              |      |      |              |
| LT365/70R16 | Single  | 3000                                                         | 3250 | 3530 | 3860 (D) 127 |      |      |              |      |      |              |
| LT365/75R16 | Single  | 3195 (C) 121                                                 |      |      |              |      |      |              |      |      |              |
| LT375/55R16 | Dual    | 2270                                                         | 2395 | 2600 | 2835         | 2990 | 3175 | 3415 (E) 123 |      |      |              |
| LT375/55R16 | Single  | 2470                                                         | 2630 | 2855 | 3085         | 3285 | 3490 | 3750 (E) 126 |      |      |              |
| LT375/65R16 | Dual    | 2680                                                         | 2880 | 3125 | 3415 (D) 123 |      |      |              |      |      |              |
| LT375/65R16 | Single  | 2910                                                         | 3165 | 3435 | 3750 (D) 126 |      |      |              |      |      |              |
| LT385/70R16 | Single  | 3305                                                         | 3535 | 3840 | 4190 (D) 130 |      |      |              |      |      |              |
| LT395/70R16 | Dual    | 3085 (C) 120                                                 |      |      |              |      |      |              |      |      |              |
| LT395/70R16 | Single  | 3415 (C) 123                                                 |      |      |              |      |      |              |      |      |              |
| LT225/65R17 | Dual    | 1270                                                         | 1390 | 1510 | 1655         | 1740 | 1845 | 1930 (D) 103 |      |      |              |
| LT225/65R17 | Single  | 1395                                                         | 1530 | 1660 | 1820         | 1910 | 2030 | 2150 (D) 107 |      |      |              |
| LT225/70R17 | Dual    | 1360                                                         | 1490 | 1620 | 1765         | 1865 | 1980 | 2150 (D) 107 | 2205 | 2315 | 2470 (E) 112 |
| LT225/70R17 | Single  | 1495                                                         | 1640 | 1780 | 1930         | 2050 | 2175 | 2335 (D) 110 | 2425 | 2545 | 2680 (E) 115 |
| LT225/75R17 | Dual    | 1425                                                         | 1565 | 1695 | 1875         | 1950 | 2075 | 2205         | 2310 | 2430 | 2535 (E) 113 |
| LT225/75R17 | Single  | 1565                                                         | 1720 | 1865 | 2040         | 2145 | 2280 | 2405         | 2540 | 2670 | 2755 (E) 116 |
| LT235/60R17 | Dual    | 1250                                                         | 1375 | 1490 | 1610         | 1720 | 1825 | 1930         | 2035 | 2135 | 2270 (E) 109 |
| LT235/60R17 | Single  | 1375                                                         | 1510 | 1640 | 1765         | 1890 | 2005 | 2150         | 2235 | 2345 | 2470 (E) 112 |
| LT235/65R17 | Dual    | 1355                                                         | 1490 | 1615 | 1765         | 1860 | 1975 | 2040 (D) 105 |      |      |              |
| LT235/65R17 | Single  | 1490                                                         | 1635 | 1775 | 1930         | 2045 | 2170 | 2270 (D) 109 |      |      |              |
| LT235/80R17 | Dual    | 1570                                                         | 1725 | 1870 | 2040         | 2155 | 2290 | 2470         | 2555 | 2675 | 2835 (E) 117 |
| LT235/80R17 | Single  | 1725                                                         | 1895 | 2055 | 2270         | 2370 | 2515 | 2680         | 2805 | 2940 | 3085 (E) 120 |
| LT245/65R17 | Dual    | 1435                                                         | 1575 | 1705 | 1875 (C) 102 |      |      |              |      |      |              |
| LT245/65R17 | Single  | 1575                                                         | 1730 | 1875 | 2040 (C) 105 |      |      |              |      |      |              |
| LT245/70R17 | Dual    | 1540                                                         | 1690 | 1830 | 1985 (C) 104 | 2105 | 2240 | 2335 (D) 110 | 2495 | 2615 | 2755 (E) 116 |
| LT245/70R17 | Single  | 1690                                                         | 1855 | 2010 | 2205 (C) 108 | 2315 | 2460 | 2600 (D) 114 | 2740 | 2875 | 3000 (E) 119 |
| LT245/75R17 | Dual    | 1610                                                         | 1770 | 1920 | 2040         | 2210 | 2350 | 2535         | 2615 | 2750 | 2910 (E) 118 |
| LT245/75R17 | Single  | 1770                                                         | 1945 | 2110 | 2270         | 2430 | 2580 | 2755         | 2875 | 3020 | 3195 (E) 121 |
| LT255/65R17 | Dual    | 1525                                                         | 1675 | 1815 | 1930         | 2095 | 2225 | 2335 (D) 110 |      |      |              |
| LT255/65R17 | Single  | 1675                                                         | 1840 | 1995 | 2150         | 2300 | 2445 | 2600 (D) 114 |      |      |              |
| LT255/75R17 | Dual    | 1700                                                         | 1870 | 2030 | 2205 (C) 108 |      |      |              |      |      |              |
| LT255/75R17 | Single  | 1870                                                         | 2055 | 2230 | 2405 (C) 111 |      |      |              |      |      |              |
| LT255/80R17 | Dual    | 1770                                                         | 1945 | 2110 | 2335         | 2430 | 2580 | 2755         | 2790 | 2850 | 2910 (E) 118 |
| LT255/80R17 | Single  | 1945                                                         | 2135 | 2320 | 2535         | 2670 | 2835 | 3000         | 3065 | 3130 | 3195 (E) 121 |
| LT265/65R17 | Dual    | 1605                                                         | 1760 | 1915 | 2040         | 2200 | 2340 | 2535         | 2605 | 2735 | 2835 (E) 117 |
| LT265/65R17 | Single  | 1765                                                         | 1935 | 2105 | 2270         | 2420 | 2570 | 2755         | 2865 | 3005 | 3085 (E) 120 |
| LT265/70R17 | Dual    | 1720                                                         | 1890 | 2050 | 2270 (C) 109 | 2360 | 2510 | 2680 (D) 115 | 2735 | 2820 | 2910 (E) 118 |
| LT265/70R17 | Single  | 1890                                                         | 2075 | 2255 | 2470 (C) 112 | 2595 | 2760 | 2910 (D) 118 | 3005 | 3100 | 3195 (E) 121 |
| LT275/65R17 | Dual    | 1700                                                         | 1870 | 2030 | 2205         | 2335 | 2480 | 2680         | 2735 | 2820 | 2910 (E) 118 |
| LT275/65R17 | Single  | 1870                                                         | 2055 | 2230 | 2405         | 2565 | 2725 | 2910         | 3005 | 3100 | 3195 (E) 121 |
| LT275/70R17 | Dual    | 1820                                                         | 1995 | 2165 | 2335 (C) 110 | 2510 | 2660 | 2835         | 2840 | 2875 | 2910 (E) 118 |
| Size        | Single/ | Tire Load Limits (lbs.) at Various Inflation Pressures (PSI) |      |      |              |      |      |              |      |      |              |

Application of Load Inflation Tables  
Version 20170203

|             | Dual    | 35                                                           | 40   | 45   | 50           | 55   | 60   | 65           | 70   | 75   | 80           |
|-------------|---------|--------------------------------------------------------------|------|------|--------------|------|------|--------------|------|------|--------------|
| LT275/70R17 | Single  | 2000                                                         | 2195 | 2380 | 2600 (C) 114 | 2760 | 2925 | 3085         | 3120 | 3160 | 3195 (E) 121 |
| LT285/60R17 | Single  | 1820                                                         | 1995 | 2170 | 2335 (C) 110 |      |      |              |      |      |              |
| LT285/65R17 | Dual    | 1790                                                         | 1960 | 2130 | 2335         | 2450 | 2605 | 2835         | 2840 | 2875 | 2910 (E) 118 |
| LT285/65R17 | Single  | 1965                                                         | 2155 | 2340 | 2535         | 2695 | 2865 | 3085         | 3120 | 3160 | 3195 (E) 121 |
| LT285/70R17 | Dual    | 1915                                                         | 2105 | 2285 | 2535 (C) 113 | 2640 | 2775 | 2910 (D) 118 | 2910 | 2910 | 2910 (E) 118 |
| LT285/70R17 | Single  | 2105                                                         | 2315 | 2510 | 2755 (C) 116 | 2900 | 3050 | 3195 (D) 121 | 3195 | 3195 | 3195 (E) 121 |
| LT285/75R17 | Dual    | 2015                                                         | 2210 | 2400 | 2600 (C) 114 | 2690 | 2800 | 2910 (D) 118 | 2910 | 2910 | 2910 (E) 118 |
| LT285/75R17 | Single  | 2215                                                         | 2430 | 2640 | 2835 (C) 117 | 2955 | 3075 | 3195 (D) 121 | 3195 | 3195 | 3195 (E) 121 |
| LT295/70R17 | Dual    | 2015                                                         | 2215 | 2405 | 2680         | 2735 | 2820 | 2910         | 2910 | 2910 | 2910 (E) 118 |
| LT295/70R17 | Single  | 2215                                                         | 2435 | 2645 | 2910         | 3005 | 3100 | 3195         | 3195 | 3195 | 3195 (E) 121 |
| LT295/75R17 | Dual    | 2110                                                         | 2320 | 2520 | 2755         | 2790 | 2850 | 2910 (D) 118 |      |      |              |
| LT295/75R17 | Single  | 2320                                                         | 2550 | 2770 | 3000         | 3065 | 3130 | 3195 (D) 121 |      |      |              |
| LT305/65R17 | Dual    | 1985                                                         | 2170 | 2355 | 2600         | 2690 | 2800 | 2910 (E) 118 |      |      |              |
| LT305/65R17 | Single  | 2205                                                         | 2385 | 2590 | 2835         | 2955 | 3075 | 3195 (E) 121 |      |      |              |
| LT305/70R17 | Dual    | 2205                                                         | 2330 | 2530 | 2755 (D) 116 | 2790 | 2850 | 2910 (E) 118 |      |      |              |
| LT305/70R17 | Single  | 2405                                                         | 2560 | 2780 | 3000 (D) 119 | 3065 | 3130 | 3195 (E) 121 |      |      |              |
| LT315/70R17 | Dual    | 2335 (C) 110                                                 | 2445 | 2655 | 2910 (D) 118 | 2910 | 2910 | 2910 (E) 118 |      |      |              |
| LT315/70R17 | Single  | 2535 (C) 113                                                 | 2685 | 2915 | 3195 (D) 121 | 3195 | 3195 | 3195 (E) 121 |      |      |              |
| LT325/70R17 | Single  | 2600                                                         | 2800 | 2995 | 3195 (D) 121 |      |      |              |      |      |              |
| LT345/55R17 | Single  | 2270                                                         | 2410 | 2620 | 2835 (D) 117 |      |      |              |      |      |              |
| LT355/70R17 | Dual    | 2755                                                         | 2790 | 2850 | 2910 (D) 118 |      |      |              |      |      |              |
| LT355/70R17 | Single  | 3000                                                         | 3065 | 3130 | 3195 (D) 121 |      |      |              |      |      |              |
| LT205/60R18 | Dual    | 1080                                                         | 1185 | 1285 | 1390         | 1480 | 1570 | 1655 (D) 98  |      |      |              |
| LT205/60R18 | Single  | 1185                                                         | 1300 | 1410 | 1520         | 1625 | 1725 | 1820 (D) 101 |      |      |              |
| LT245/70R18 | Dual    | 1595                                                         | 1745 | 1895 | 2040         | 2185 | 2325 | 2470         | 2590 | 2715 | 2835 (E) 117 |
| LT245/70R18 | Single  | 1750                                                         | 1920 | 2085 | 2270         | 2400 | 2555 | 2680         | 2845 | 2985 | 3085 (E) 120 |
| LT255/55R18 | Dual    | 1330                                                         | 1460 | 1590 | 1710         | 1825 | 1945 | 2040 (D) 105 |      |      |              |
| LT255/55R18 | Single  | 1460                                                         | 1605 | 1745 | 1875         | 2005 | 2135 | 2270 (D) 109 |      |      |              |
| LT255/65R18 | Dual    | 1585                                                         | 1740 | 1885 | 2040         | 2170 | 2305 | 2470         | 2570 | 2700 | 2835 (E) 117 |
| LT255/65R18 | Single  | 1740                                                         | 1910 | 2070 | 2270         | 2385 | 2535 | 2680         | 2825 | 2965 | 3085 (E) 120 |
| LT265/65R18 | Dual    | 1665                                                         | 1830 | 1985 | 2205         | 2285 | 2430 | 2600 (D) 114 | 2705 | 2840 | 3000 (E) 119 |
| LT265/65R18 | Single  | 1830                                                         | 2010 | 2180 | 2405         | 2510 | 2670 | 2835 (D) 117 | 2970 | 3120 | 3305 (E) 122 |
| LT265/70R18 | Dual    | 1785                                                         | 1960 | 2130 | 2335         | 2450 | 2605 | 2835         | 2900 | 3045 | 3195 (E) 121 |
| LT265/70R18 | Single  | 1960                                                         | 2155 | 2340 | 2535         | 2690 | 2860 | 3085         | 3185 | 3345 | 3525 (E) 124 |
| LT275/65R18 | Dual    | 1765                                                         | 1940 | 2100 | 2335 (C) 110 | 2420 | 2570 | 2755 (D) 116 | 2865 | 3010 | 3085 (E) 120 |
| LT275/65R18 | Single  | 1940                                                         | 2130 | 2310 | 2535 (C) 113 | 2660 | 2825 | 3000 (D) 119 | 3150 | 3305 | 3415 (E) 123 |
| LT275/70R18 | Dual    | 1885                                                         | 2065 | 2250 | 2470 (C) 112 | 2585 | 2750 | 2910 (D) 118 | 3060 | 3210 | 3305 (E) 122 |
| LT275/70R18 | Single  | 2070                                                         | 2270 | 2470 | 2680 (C) 115 | 2840 | 3020 | 3195 (D) 121 | 3360 | 3530 | 3640 (E) 125 |
| LT285/60R18 | Dual    | 1715                                                         | 1885 | 2050 | 2270         | 2350 | 2505 | 2680 (D) 115 | 2785 | 2925 | 3000 (E) 119 |
| LT285/60R18 | Single  | 1885                                                         | 2070 | 2250 | 2470         | 2585 | 2750 | 2910 (D) 118 | 3060 | 3215 | 3305 (E) 122 |
| LT285/65R18 | Dual    | 1850                                                         | 2035 | 2205 | 2335         | 2540 | 2700 | 2910 (D) 118 | 3010 | 3160 | 3305 (E) 122 |
| LT285/65R18 | Single  | 2035                                                         | 2235 | 2425 | 2600         | 2790 | 2965 | 3195 (D) 121 | 3305 | 3470 | 3640 (E) 125 |
| LT285/70R18 | Dual    | 1985                                                         | 2180 | 2365 | 2600         | 2725 | 2895 | 3085         | 3225 | 3385 | 3525 (E) 124 |
| LT285/70R18 | Single  | 2180                                                         | 2395 | 2600 | 2835         | 2995 | 3180 | 3415         | 3545 | 3720 | 3860 (E) 127 |
| LT285/75R18 | Dual    | 2085                                                         | 2290 | 2485 | 2755         | 2860 | 3040 | 3195         | 3385 | 3555 | 3750 (E) 126 |
| LT285/75R18 | Single  | 2290                                                         | 2515 | 2730 | 3000         | 3145 | 3340 | 3525         | 3720 | 3905 | 4080 (E) 129 |
| LT295/65R18 | Dual    | 1955                                                         | 2150 | 2330 | 2535         | 2680 | 2850 | 3000         | 3175 | 3330 | 3525 (E) 124 |
| LT295/65R18 | Single  | 2150                                                         | 2360 | 2560 | 2755         | 2945 | 3130 | 3305         | 3490 | 3660 | 3860 (E) 127 |
| LT295/70R18 | Dual    | 2090                                                         | 2295 | 2490 | 2755 (C) 116 | 2865 | 3045 | 3195         | 3395 | 3560 | 3750 (E) 126 |
| LT295/70R18 | Single  | 2295                                                         | 2520 | 2735 | 3000 (C) 119 | 3150 | 3345 | 3525         | 3730 | 3910 | 4080 (E) 129 |
| Size        | Single/ | Tire Load Limits (lbs.) at Various Inflation Pressures (PSI) |      |      |              |      |      |              |      |      |              |

Application of Load Inflation Tables  
Version 20170203

|             | Dual    | 35                                                           | 40   | 45   | 50           | 55   | 60   | 65           | 70   | 75   | 80           |
|-------------|---------|--------------------------------------------------------------|------|------|--------------|------|------|--------------|------|------|--------------|
| LT305/60R18 | Dual    | 1930                                                         | 2080 | 2255 | 2470         | 2600 | 2760 | 2910 (E) 118 |      |      |              |
| LT305/60R18 | Single  | 2150                                                         | 2285 | 2480 | 2680         | 2855 | 3035 | 3195 (E) 121 |      |      |              |
| LT305/65R18 | Dual    | 2150                                                         | 2250 | 2440 | 2680         | 2805 | 2985 | 3195 (E) 121 |      |      |              |
| LT305/65R18 | Single  | 2335                                                         | 2470 | 2680 | 2910         | 3085 | 3280 | 3525 (E) 124 |      |      |              |
| LT305/70R18 | Dual    | 2270                                                         | 2405 | 2615 | 2835         | 3010 | 3200 | 3415 (E) 123 |      |      |              |
| LT305/70R18 | Single  | 2470                                                         | 2645 | 2875 | 3085         | 3310 | 3515 | 3750 (E) 126 |      |      |              |
| LT305/75R18 | Dual    | 2335                                                         | 2530 | 2750 | 3000 (D) 119 | 3160 | 3360 | 3640 (E) 125 |      |      |              |
| LT305/75R18 | Single  | 2600                                                         | 2780 | 3020 | 3305 (D) 122 | 3475 | 3695 | 3970 (E) 128 |      |      |              |
| LT315/70R18 | Dual    | 2335                                                         | 2530 | 2745 | 3000         | 3160 | 3360 | 3525 (E) 124 |      |      |              |
| LT315/70R18 | Single  | 2600                                                         | 2780 | 3015 | 3305         | 3470 | 3690 | 3860 (E) 127 |      |      |              |
| LT325/60R18 | Dual    | 2150                                                         | 2285 | 2480 | 2755         | 2855 | 3035 | 3195 (E) 121 |      |      |              |
| LT325/60R18 | Single  | 2335                                                         | 2510 | 2725 | 3000         | 3135 | 3335 | 3525 (E) 124 |      |      |              |
| LT325/65R18 | Dual    | 2335                                                         | 2470 | 2680 | 2910 (D) 118 | 3085 | 3280 | 3525 (E) 124 |      |      |              |
| LT325/65R18 | Single  | 2535                                                         | 2715 | 2945 | 3195 (D) 121 | 3390 | 3605 | 3860 (E) 127 |      |      |              |
| LT345/60R18 | Single  | 2535                                                         | 2745 | 2980 | 3195 (D) 121 |      |      |              |      |      |              |
| LT355/65R18 | Single  | 2910                                                         | 3110 | 3375 | 3640         | 3750 | 3860 | 3970 (E) 128 |      |      |              |
| LT375/50R18 | Dual    | 2150                                                         | 2300 | 2500 | 2755         | 2875 | 3055 | 3195 (E) 121 |      |      |              |
| LT375/50R18 | Single  | 2335                                                         | 2530 | 2745 | 3000         | 3160 | 3355 | 3525 (E) 124 |      |      |              |
| LT375/60R18 | Dual    | 2680                                                         | 2830 | 3070 | 3305 (D) 122 |      |      |              |      |      |              |
| LT375/60R18 | Single  | 2910                                                         | 3110 | 3375 | 3640 (D) 125 |      |      |              |      |      |              |
| LT395/65R18 | Dual    | 3085 (C) 120                                                 |      |      |              |      |      |              |      |      |              |
| LT395/65R18 | Single  | 3415 (C) 123                                                 |      |      |              |      |      |              |      |      |              |
| LT265/60R20 | Dual    | 1660                                                         | 1820 | 1980 | 2150         | 2275 | 2420 | 2600         | 2695 | 2830 | 2910 (E) 118 |
| LT265/60R20 | Single  | 1825                                                         | 2000 | 2175 | 2335         | 2500 | 2660 | 2835         | 2960 | 3110 | 3195 (E) 121 |
| LT275/55R20 | Dual    | 1595                                                         | 1745 | 1895 | 2040         | 2185 | 2320 | 2470 (D) 112 |      |      |              |
| LT275/55R20 | Single  | 1750                                                         | 1920 | 2085 | 2270         | 2400 | 2550 | 2680 (D) 115 |      |      |              |
| LT275/60R20 | Dual    | 1745                                                         | 1920 | 2085 | 2270         | 2400 | 2550 | 2755 (D) 120 | 2840 | 2980 | 3085 (E) 120 |
| LT275/60R20 | Single  | 1920                                                         | 2110 | 2290 | 2470         | 2635 | 2800 | 3000 (D) 123 | 3120 | 3275 | 3415 (E) 123 |
| LT275/65R20 | Dual    | 1895                                                         | 2075 | 2250 | 2470         | 2595 | 2755 | 2910         | 3070 | 3220 | 3415 (E) 123 |
| LT275/65R20 | Single  | 2080                                                         | 2280 | 2475 | 2680         | 2850 | 3030 | 3195         | 3375 | 3540 | 3750 (E) 126 |
| LT285/50R20 | Dual    | 1515                                                         | 1665 | 1805 | 1930         | 2080 | 2210 | 2335         | 2460 | 2585 | 2755 (E) 116 |
| LT285/50R20 | Single  | 1665                                                         | 1830 | 1985 | 2150         | 2285 | 2430 | 2600         | 2705 | 2840 | 3000 (E) 119 |
| LT285/55R20 | Dual    | 1685                                                         | 1845 | 2005 | 2205         | 2305 | 2450 | 2600 (D) 114 | 2735 | 2865 | 3000 (E) 119 |
| LT285/55R20 | Single  | 1850                                                         | 2030 | 2205 | 2405         | 2535 | 2695 | 2835 (D) 117 | 3005 | 3150 | 3305 (E) 122 |
| LT285/60R20 | Dual    | 1840                                                         | 2020 | 2195 | 2335         | 2525 | 2685 | 2835         | 2990 | 3135 | 3305 (E) 122 |
| LT285/60R20 | Single  | 2020                                                         | 2220 | 2410 | 2600         | 2775 | 2950 | 3085         | 3285 | 3445 | 3640 (E) 125 |
| LT285/65R20 | Dual    | 1985                                                         | 2175 | 2365 | 2600         | 2720 | 2890 | 3085         | 3220 | 3380 | 3525 (E) 124 |
| LT285/65R20 | Single  | 2180                                                         | 2390 | 2600 | 2835         | 2990 | 3175 | 3415         | 3540 | 3715 | 3860 (E) 127 |
| LT295/55R20 | Dual    | 1760                                                         | 1930 | 2100 | 2335         | 2415 | 2565 | 2755         | 2855 | 3000 | 3085 (E) 120 |
| LT295/55R20 | Single  | 1935                                                         | 2120 | 2305 | 2535         | 2655 | 2820 | 3000         | 3140 | 3295 | 3415 (E) 123 |
| LT295/60R20 | Dual    | 1935                                                         | 2120 | 2300 | 2535         | 2655 | 2815 | 3000         | 3140 | 3295 | 3415 (E) 123 |
| LT295/60R20 | Single  | 2125                                                         | 2330 | 2530 | 2755         | 2915 | 3095 | 3305         | 3450 | 3620 | 3750 (E) 126 |
| LT295/65R20 | Dual    | 2095                                                         | 2300 | 2495 | 2755         | 2870 | 3050 | 3195         | 3400 | 3565 | 3750 (E) 126 |
| LT295/65R20 | Single  | 2300                                                         | 2525 | 2740 | 3000         | 3155 | 3350 | 3525         | 3735 | 3920 | 4080 (E) 129 |
| LT305/55R20 | Dual    | 1930                                                         | 2035 | 2205 | 2470         | 2545 | 2705 | 2910 (E) 118 | 3010 | 3160 | 3305 (F) 122 |
| LT305/55R20 | Single  | 2095                                                         | 2235 | 2425 | 2680         | 2795 | 2970 | 3195 (E) 121 | 3305 | 3470 | 3640 (F) 125 |
| LT305/60R20 | Dual    | 2040                                                         | 2225 | 2415 | 2680 (D) 115 | 2780 | 2960 | 3085 (E) 120 |      |      |              |
| LT305/60R20 | Single  | 2270                                                         | 2445 | 2655 | 2910 (D) 118 | 3055 | 3250 | 3415 (E) 123 |      |      |              |
| LT315/50R20 | Dual    | 1820                                                         | 1915 | 2080 | 2270 (D) 109 |      |      |              |      |      |              |
| LT315/50R20 | Single  | 1985                                                         | 2105 | 2285 | 2470 (D) 112 |      |      |              |      |      |              |
| Size        | Single/ | Tire Load Limits (lbs.) at Various Inflation Pressures (PSI) |      |      |              |      |      |              |      |      |              |

|             | Dual   | 35   | 40   | 45   | 50                  | 55   | 60   | 65                  | 70   | 75   | 80                  |
|-------------|--------|------|------|------|---------------------|------|------|---------------------|------|------|---------------------|
| LT315/60R20 | Dual   | 2205 | 2335 | 2535 | 2755                | 2915 | 3100 | <b>3305</b> (E) 122 |      |      |                     |
| LT315/60R20 | Single | 2405 | 2565 | 2785 | 3000                | 3205 | 3405 | <b>3640</b> (E) 125 |      |      |                     |
| LT315/70R20 | Dual   | 2535 | 2700 | 2930 | <b>3195</b> (D) 121 | 3370 | 3580 | <b>3680</b> (E) 127 |      |      |                     |
| LT315/70R20 | Single | 2755 | 2965 | 3220 | <b>3525</b> (D) 124 | 3705 | 3935 | <b>4190</b> (E) 130 |      |      |                     |
| LT325/50R20 | Single | 2040 | 2200 | 2390 | 2600                | 2750 | 2920 | <b>3085</b> (E) 120 |      |      |                     |
| LT325/60R20 | Dual   | 2335 | 2440 | 2655 | <b>2910</b> (D) 118 | 3050 | 3240 | <b>3415</b> (E) 123 |      |      |                     |
| LT325/60R20 | Single | 2535 | 2680 | 2915 | <b>3195</b> (D) 121 | 3350 | 3560 | <b>3750</b> (E) 126 |      |      |                     |
| LT325/75R20 | Dual   | 2835 | 2965 | 3220 | <b>3525</b> (D) 124 |      |      |                     |      |      |                     |
| LT325/75R20 | Single | 3085 | 3260 | 3540 | <b>3860</b> (D) 127 |      |      |                     |      |      |                     |
| LT335/55R20 | Single | 2405 | 2550 | 2765 | <b>3000</b> (D) 119 | 3185 | 3385 | <b>3640</b> (E) 125 |      |      |                     |
| LT355/60R20 | Single | 5670 | 6110 | 6630 | <b>3640</b> (D) 125 | 3750 | 3860 | <b>3970</b> (E) 128 |      |      |                     |
| LT285/50R22 | Dual   | 1620 | 1780 | 1935 | 2150                | 2225 | 2365 | 2535                | 2635 | 2765 | <b>2910</b> (E) 118 |
| LT285/50R22 | Single | 1780 | 1955 | 2125 | 2335                | 2445 | 2600 | 2755                | 2895 | 3040 | <b>3195</b> (E) 121 |
| LT285/55R22 | Dual   | 1795 | 1975 | 2145 | <b>2335</b> (C) 110 | 2465 | 2620 | <b>2835</b> (D) 117 | 2920 | 3065 | <b>3195</b> (E) 121 |
| LT285/55R22 | Single | 1975 | 2170 | 2355 | <b>2535</b> (C) 113 | 2710 | 2880 | <b>3085</b> (D) 120 | 3210 | 3370 | <b>3525</b> (E) 124 |
| LT305/40R22 | Dual   | 1390 | 1485 | 1610 | 1765                | 1855 | 1970 | <b>2040</b> (E) 105 | 2200 | 2305 | <b>2470</b> (F) 112 |
| LT305/40R22 | Single | 1520 | 1630 | 1770 | 1930                | 2040 | 2165 | <b>2270</b> (E) 109 | 2415 | 2535 | <b>2680</b> (F) 115 |
| LT305/50R22 | Dual   | 1820 | 1955 | 2125 | 2335                | 2445 | 2600 | <b>2755</b> (E) 116 |      |      |                     |
| LT305/50R22 | Single | 1985 | 2150 | 2335 | 2535                | 2685 | 2855 | <b>3000</b> (E) 119 |      |      |                     |
| LT315/45R22 | Dual   | 1710 | 1800 | 1955 | 2150                | 2250 | 2395 | <b>2535</b> (E) 113 |      |      |                     |
| LT315/45R22 | Single | 1875 | 1980 | 2150 | 2335                | 2470 | 2630 | <b>2755</b> (E) 116 |      |      |                     |
| LT315/50R22 | Dual   | 1930 | 2050 | 2220 | 2470                | 2555 | 2715 | <b>2910</b> (E) 118 |      |      |                     |
| LT315/50R22 | Single | 2095 | 2250 | 2440 | 2680                | 2810 | 2985 | <b>3195</b> (E) 121 |      |      |                     |
| LT325/45R22 | Single | 1930 | 2055 | 2235 | 2405                | 2570 | 2730 | <b>2910</b> (E) 118 |      |      |                     |
| LT325/50R22 | Single | 2205 | 2350 | 2550 | 2755                | 2935 | 3120 | <b>3305</b> (E) 122 |      |      |                     |
| LT325/55R22 | Dual   | 2270 | 2375 | 2580 | <b>2835</b> (D) 117 |      |      |                     |      |      |                     |
| LT325/55R22 | Single | 2470 | 2610 | 2835 | <b>3085</b> (D) 120 |      |      |                     |      |      |                     |
| LT325/60R22 | Single | 2680 | 2855 | 3100 | <b>3415</b> (D) 123 | 3570 | 3795 | <b>3970</b> (E) 128 |      |      |                     |
| LT335/55R22 | Single | 2535 | 2715 | 2950 | <b>3195</b> (D) 121 |      |      |                     |      |      |                     |
| LT355/40R22 | Single | 1875 | 2010 | 2180 | 2405                | 2510 | 2665 | 2835                | 2970 | 3115 | <b>3305</b> (F) 122 |
| LT375/45R22 | Single | 2335 | 2525 | 2740 | 3000                | 3155 | 3350 | 3525                | 3675 | 3820 | <b>3970</b> (F) 128 |
| LT295/40R24 | Dual   | 1385 | 1515 | 1645 | 1820                | 1895 | 2015 | 2150                | 2245 | 2355 | <b>2470</b> (E) 112 |
| LT295/40R24 | Single | 1520 | 1665 | 1810 | 1985                | 2085 | 2215 | 2335                | 2465 | 2590 | <b>2680</b> (E) 115 |
| LT295/45R24 | Dual   | 1595 | 1755 | 1905 | 2040                | 2195 | 2330 | 2470                | 2600 | 2725 | <b>2835</b> (E) 117 |
| LT295/45R24 | Single | 1755 | 1930 | 2095 | 2270                | 2410 | 2560 | 2680                | 2855 | 2995 | <b>3085</b> (E) 120 |
| LT305/45R24 | Dual   | 1710 | 1830 | 1985 | 2205                | 2285 | 2425 | <b>2600</b> (E) 114 |      |      |                     |
| LT305/45R24 | Single | 1875 | 2010 | 2180 | 2405                | 2510 | 2665 | <b>2835</b> (E) 117 |      |      |                     |
| LT315/45R24 | Dual   | 1820 | 1920 | 2085 | 2270                | 2400 | 2550 | <b>2755</b> (E) 116 |      |      |                     |
| LT315/45R24 | Single | 1985 | 2110 | 2290 | 2470                | 2635 | 2800 | <b>3000</b> (E) 119 |      |      |                     |
| LT315/50R24 | Dual   | 1985 | 2175 | 2360 | 2600                | 2720 | 2890 | <b>3085</b> (E) 120 |      |      |                     |
| LT315/50R24 | Single | 2205 | 2390 | 2595 | 2835                | 2990 | 3175 | <b>3415</b> (E) 123 |      |      |                     |
| LT325/45R24 | Single | 2040 | 2190 | 2380 | 2600                | 2735 | 2910 | <b>3085</b> (E) 120 |      |      |                     |
| LT335/40R24 | Single | 1820 | 1975 | 2145 | 2335                | 2470 | 2625 | <b>2755</b> (E) 116 |      |      |                     |
| LT375/40R24 | Single | 2150 | 2305 | 2505 | 2755                | 2880 | 3065 | 3195                | 3410 | 3580 | <b>3750</b> (F) 126 |
| LT305/35R26 | Dual   | 1355 | 1430 | 1550 | 1710                | 1790 | 1895 | <b>1985</b> (E) 104 |      |      |                     |
| LT305/35R26 | Single | 1475 | 1570 | 1705 | 1875                | 1965 | 2085 | <b>2205</b> (E) 108 |      |      |                     |
| LT335/35R26 | Single | 1655 | 1765 | 1915 | 2095                | 2205 | 2345 | <b>2470</b> (E) 112 |      |      |                     |

## TRA Flotation Table

| Tire Size     | Tire Load Limits (lbs.) at Various Inflation Pressures (PSI) |      |              |      |      |              |      |      |              |      |      |              |
|---------------|--------------------------------------------------------------|------|--------------|------|------|--------------|------|------|--------------|------|------|--------------|
|               | 25                                                           | 30   | 35           | 40   | 45   | 50           | 55   | 60   | 65           | 70   | 75   | 80           |
| 27X8.50R14LT  | 940                                                          | 1075 | 1200 (B) 87  | 1305 | 1415 | 1520 (C) 95  |      |      |              |      |      |              |
| 29X9.50R15LT  | 1135                                                         | 1290 | 1435 (B) 93  | 1575 | 1700 | 1820 (C) 101 |      |      |              |      |      |              |
| 30X9.50R15LT  | 1240                                                         | 1410 | 1565 (B) 96  | 1715 | 1855 | 1985 (C) 104 |      |      |              |      |      |              |
| 33X9.50R15LT  | 1565                                                         | 1780 | 1980         | 2170 | 2345 | 2535 (C) 113 |      |      |              |      |      |              |
| 31X10.50R15LT | 1400                                                         | 1595 | 1765 (B) 100 | 1945 | 2100 | 2270 (C) 109 |      |      |              |      |      |              |
| 33X10.50R15LT | 1630                                                         | 1855 | 2040 (B) 105 | 2260 | 2445 | 2600 (C) 114 |      |      |              |      |      |              |
| 31X11.50R15LT | 1455                                                         | 1660 | 1820 (B) 101 | 2020 | 2185 | 2335 (C) 110 |      |      |              |      |      |              |
| 32X11.50R15LT | 1575                                                         | 1795 | 1985 (B) 104 | 2185 | 2360 | 2535 (C) 113 |      |      |              |      |      |              |
| 31X12.50R15LT | 1520                                                         | 1715 | 1930 (C) 103 |      |      |              |      |      |              |      |      |              |
| 33X12.50R15LT | 1765 (B) 100                                                 | 2000 | 2205 (C) 108 |      |      |              |      |      |              |      |      |              |
| 35X12.50R15LT | 2040                                                         | 2295 | 2535 (C) 113 |      |      |              |      |      |              |      |      |              |
| 37X12.50R15LT | 2270 (B) 109                                                 | 2600 | 2910 (C) 118 |      |      |              |      |      |              |      |      |              |
| 33x13.50R15LT | 2095                                                         | 2370 | 2600 (C) 109 |      |      |              |      |      |              |      |      |              |
| 35x13.50R15LT | 2095                                                         | 2370 | 2600 (C) 114 |      |      |              |      |      |              |      |      |              |
| 37x13.50R15LT | 2335                                                         | 2690 | 3000 (C) 119 |      |      |              |      |      |              |      |      |              |
| 35x14.50R15LT | 2150                                                         | 2445 | 2755 (C) 116 |      |      |              |      |      |              |      |      |              |
| 36X14.50R15LT | 2270 (B) 109                                                 | 2610 | 2910 (C) 118 |      |      |              |      |      |              |      |      |              |
| 37x14.50R15LT | 2405                                                         | 2775 | 3085 (C) 120 |      |      |              |      |      |              |      |      |              |
| 33X15.50R15LT | 1930                                                         | 2185 | 2405 (C) 111 |      |      |              |      |      |              |      |      |              |
| 36X15.50R15LT | 2335                                                         | 2690 | 3000 (C) 119 |      |      |              |      |      |              |      |      |              |
| 38x15.50R15LT | 2680                                                         | 3040 | 3415 (C) 123 |      |      |              |      |      |              |      |      |              |
| 33x10.50R17LT | 1515                                                         | 1725 | 1930         | 2105 | 2275 | 2470         | 2590 | 2740 | 2910         | 3005 | 3100 | 3195 (E) 121 |
| 33X12.50R17LT | 1610                                                         | 1850 | 2040 (C) 105 | 2255 | 2440 | 2600 (D) 114 | 2780 | 2935 | 3085 (E) 120 | 3120 | 3160 | 3195 (F) 121 |
| 34x10.50R17LT | 1635                                                         | 1865 | 2095         | 2270 | 2455 | 2600         | 2795 | 2960 | 3085 (D) 120 | 3120 | 3160 | 3195 (E) 121 |
| 35X12.50R17LT | 1875                                                         | 2155 | 2405 (C) 111 | 2625 | 2840 | 3000 (D) 119 | 3065 | 3130 | 3195 (E) 121 |      |      |              |
| 37X12.50R17LT | 2150                                                         | 2470 | 2755 (C) 116 | 3005 | 3250 | 3525 (D) 124 |      |      |              |      |      |              |
| 37x13.50R17LT | 2205                                                         | 2550 | 2835         | 2955 | 3075 | 3195 (D) 121 | 3195 | 3195 | 3195 (E) 121 |      |      |              |
| 38x13.50R17LT | 2405                                                         | 2715 | 3000 (C) 119 |      |      |              |      |      |              |      |      |              |
| 39x13.50R17LT | 2535                                                         | 2885 | 3195 (C) 121 |      |      |              |      |      |              |      |      |              |
| 40x13.50R17LT | 2680                                                         | 3055 | 3195 (C) 121 |      |      |              |      |      |              |      |      |              |
| 36x14.50R17LT | 2150                                                         | 2455 | 2755         | 2900 | 3050 | 3195 (D) 121 |      |      |              |      |      |              |
| 38x14.50R17LT | 2470                                                         | 2800 | 3085         | 3120 | 3160 | 3195 (D) 121 |      |      |              |      |      |              |
| 40x14.50R17LT | 2755                                                         | 2975 | 3195 (C) 121 |      |      |              |      |      |              |      |      |              |
| 42X14.50R17LT | 3085                                                         | 3140 | 3195 (C) 121 |      |      |              |      |      |              |      |      |              |
| 38x15.50R17LT | 2535                                                         | 2885 | 3195 (C) 121 |      |      |              |      |      |              |      |      |              |
| 33x10.50R18LT | 1450                                                         | 1655 | 1820         | 2015 | 2175 | 2335         | 2480 | 2620 | 2755         | 2890 | 3020 | 3195 (E) 121 |
| 33x11.50R18LT | 1505                                                         | 1715 | 1930         | 2085 | 2255 | 2405         | 2570 | 2720 | 2835         | 3000 | 3130 | 3305 (E) 122 |
| 33X12.50R18LT | 1565                                                         | 1765 | 1985         | 2150 | 2325 | 2470         | 2650 | 2805 | 2910 (E) 118 | 3090 | 3230 | 3305 (F) 122 |
| 35x11.50R18LT | 1765                                                         | 2010 | 2205         | 2445 | 2645 | 2835         | 3015 | 3190 | 3305         | 3515 | 3670 | 3860 (E) 127 |

| Tire Size     | Tire Load Limits (lbs.) at Various Inflation Pressures (PSI) |      |              |      |      |              |      |      |              |      |      |              |
|---------------|--------------------------------------------------------------|------|--------------|------|------|--------------|------|------|--------------|------|------|--------------|
|               | 25                                                           | 30   | 35           | 40   | 45   | 50           | 55   | 60   | 65           | 70   | 75   | 80           |
| 35X12.50R18LT | 1820                                                         | 2075 | 2335         | 2530 | 2735 | 2910 (D) 118 | 3115 | 3295 | 3415 (E) 123 | 3630 | 3795 | 3970 (F) 128 |
| 37X12.50R18LT | 2095                                                         | 2395 | 2680 (C) 115 | 2915 | 3150 | 3415 (D) 123 | 3590 | 3795 | 3970 (E) 128 |      |      |              |
| 35X13.50R18LT | 1875                                                         | 2140 | 2405         | 2605 | 2815 | 3000 (D) 119 |      |      |              |      |      |              |
| 36X13.50R18LT | 2040                                                         | 2305 | 2535         | 2805 | 3030 | 3195 (D) 121 |      |      |              |      |      |              |
| 37X13.50R18LT | 2150                                                         | 2470 | 2755         | 3005 | 3250 | 3525 (D) 124 |      |      |              |      |      |              |
| 36X14.50R18LT | 2095                                                         | 2370 | 2600         | 2885 | 3115 | 3305 (D) 122 |      |      |              |      |      |              |
| 38X14.50R18LT | 2405                                                         | 2715 | 3000         | 3305 | 3575 | 3860 (D) 127 |      |      |              |      |      |              |
| 40X14.50R18LT | 2680                                                         | 3075 | 3415 (C) 123 |      |      |              |      |      |              |      |      |              |
| 38X15.50R18LT | 2470                                                         | 2800 | 3085         | 3405 | 3685 | 3970 (D) 128 |      |      |              |      |      |              |
| 35x11.50R20LT | 1615                                                         | 1840 | 2040         | 2240 | 2425 | 2600         | 2760 | 2920 | 3085         | 3220 | 3360 | 3525 (E) 124 |
| 37x11.50R20LT | 1890                                                         | 2155 | 2405         | 2620 | 2835 | 3000         | 3230 | 3415 | 3640         | 3750 | 3860 | 3970 (E) 128 |
| 33X12.50R20LT | 1390                                                         | 1580 | 1765         | 1920 | 2075 | 2205         | 2365 | 2500 | 2600 (E) 114 | 2760 | 2880 | 3000 (F) 119 |
| 35X12.50R20LT | 1655                                                         | 1895 | 2095         | 2310 | 2495 | 2680         | 2845 | 3010 | 3195 (E) 121 | 3315 | 3465 | 3640 (F) 125 |
| 37X12.50R20LT | 1930                                                         | 2225 | 2470         | 2705 | 2925 | 3085 (D) 120 | 3335 | 3525 | 3750 (E) 126 | 3825 | 3895 | 3970 (F) 128 |
| 35x13.50R20LT | 1710                                                         | 1945 | 2150         | 2370 | 2565 | 2755         | 2920 | 3090 | 3195 (E) 121 | 3405 | 3555 | 3750 (F) 126 |
| 37x13.50R20LT | 1985                                                         | 2290 | 2535         | 2785 | 3015 | 3195 (D) 121 | 3435 | 3630 | 3860 (E) 127 |      |      |              |
| 38x13.50R20LT | 2150                                                         | 2460 | 2755         | 2995 | 3240 | 3415         | 3600 | 3785 | 3970 (E) 128 |      |      |              |
| 40X13.50R20LT | 2470                                                         | 2815 | 3085         | 3425 | 3705 | 3970 (D) 128 | 3970 | 3970 | 3970 (E) 128 |      |      |              |
| 38x14.50R20LT | 2205                                                         | 2535 | 2835         | 3080 | 3330 | 3525 (D) 124 |      |      |              |      |      |              |
| 40x14.50R20LT | 2535                                                         | 2895 | 3195 (C) 121 |      |      |              |      |      |              |      |      |              |
| 42X14.50R20LT | 2835                                                         | 3275 | 3640 (C) 125 |      |      |              |      |      |              |      |      |              |
| 38x15.50R20LT | 2270                                                         | 2600 | 2910         | 3165 | 3425 | 3640 (D) 125 |      |      |              |      |      |              |
| 40x15.50R20LT | 2600                                                         | 2985 | 3305         | 3525 | 3750 | 3970 (D) 128 |      |      |              |      |      |              |
| 33x12.50R22LT | 1200                                                         | 1360 | 1520         | 1660 | 1795 | 1930         | 2045 | 2160 | 2270 (E) 109 | 2385 | 2490 | 2600 (F) 114 |
| 35x12.50R22LT | 1475                                                         | 1690 | 1875         | 2055 | 2225 | 2405         | 2535 | 2680 | 2835 (E) 117 | 2955 | 3085 | 3195 (F) 121 |
| 37x12.50R22LT | 1765                                                         | 2025 | 2270         | 2465 | 2665 | 2835         | 3040 | 3215 | 3415 (E) 123 | 3545 | 3700 | 3860 (F) 127 |
| 37x13.50R22LT | 1820                                                         | 2080 | 2335         | 2530 | 2735 | 2910 (D) 118 | 3120 | 3300 | 3415 (E) 123 |      |      |              |
| 38x13.50R22LT | 1985                                                         | 2260 | 2535         | 2750 | 2970 | 3195         | 3385 | 3580 | 3750 (E) 126 |      |      |              |
| 40x15.50R22LT | 2405                                                         | 2765 | 3085         | 3365 | 3640 | 3860 (D) 127 | 3895 | 3935 | 3970 (E) 128 |      |      |              |
| 37x13.50R24LT | 1610                                                         | 1845 | 2040         | 2245 | 2425 | 2600         | 2765 | 2925 | 3085 (E) 120 |      |      |              |
| 38x13.50R24LT | 1765                                                         | 2025 | 2270         | 2465 | 2665 | 2835         | 3040 | 3215 | 3415 (E) 123 |      |      |              |
| 40X15.50R24LT | 2205                                                         | 2520 | 2835         | 3065 | 3315 | 3525         | 3675 | 3820 | 3970 (E) 128 |      |      |              |

## Standard Load Inflation Table

**WARNING! Only use for ISO Metric (ETRT0) sizes. DO NOT use this table for P-Metric sizes.**

Single Load per tire in pounds

| load<br>Index | Inflation Pressure (psi) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|---------------|--------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|               | 22                       | 23   | 24   | 25   | 26   | 27   | 28   | 29   | 30   | 31   | 32   | 33   | 34   | 35   | 36   |
| 62            | 386                      | 408  | 420  | 430  | 452  | 462  | 474  | 485  | 507  | 516  | 529  | 551  | 555  | 562  | 584  |
| 63            | 397                      | 419  | 431  | 441  | 463  | 474  | 485  | 507  | 518  | 529  | 540  | 562  | 570  | 584  | 600  |
| 64            | 408                      | 430  | 444  | 452  | 474  | 488  | 496  | 518  | 540  | 545  | 562  | 573  | 587  | 595  | 617  |
| 65            | 430                      | 452  | 460  | 463  | 496  | 505  | 518  | 540  | 551  | 564  | 573  | 595  | 608  | 617  | 639  |
| 66            | 441                      | 463  | 476  | 485  | 507  | 523  | 529  | 551  | 573  | 584  | 595  | 617  | 629  | 639  | 661  |
| 67            | 452                      | 474  | 487  | 496  | 518  | 535  | 540  | 562  | 584  | 598  | 606  | 628  | 643  | 650  | 677  |
| 68            | 463                      | 485  | 500  | 507  | 529  | 549  | 562  | 584  | 606  | 613  | 628  | 650  | 660  | 672  | 694  |
| 69            | 474                      | 496  | 515  | 529  | 551  | 566  | 573  | 595  | 628  | 633  | 650  | 672  | 681  | 694  | 716  |
| 70            | 496                      | 518  | 531  | 540  | 573  | 584  | 595  | 617  | 639  | 652  | 661  | 694  | 702  | 716  | 739  |
| 71            | 507                      | 529  | 547  | 562  | 584  | 601  | 606  | 639  | 661  | 671  | 683  | 716  | 723  | 739  | 761  |
| 72            | 518                      | 551  | 563  | 573  | 606  | 619  | 628  | 650  | 683  | 691  | 705  | 728  | 744  | 761  | 783  |
| 73            | 540                      | 562  | 579  | 595  | 617  | 636  | 650  | 672  | 694  | 710  | 728  | 750  | 765  | 783  | 805  |
| 74            | 551                      | 573  | 595  | 606  | 639  | 653  | 661  | 694  | 716  | 730  | 750  | 772  | 786  | 805  | 827  |
| 75            | 562                      | 595  | 614  | 628  | 661  | 674  | 683  | 716  | 739  | 753  | 772  | 794  | 811  | 827  | 853  |
| 76            | 584                      | 617  | 634  | 650  | 683  | 697  | 705  | 739  | 772  | 779  | 794  | 827  | 838  | 849  | 882  |
| 77            | 606                      | 639  | 653  | 672  | 694  | 718  | 728  | 761  | 794  | 802  | 816  | 849  | 863  | 882  | 908  |
| 78            | 617                      | 650  | 674  | 683  | 716  | 741  | 750  | 783  | 816  | 827  | 849  | 882  | 891  | 904  | 937  |
| 79            | 639                      | 672  | 693  | 705  | 739  | 762  | 772  | 805  | 838  | 851  | 871  | 904  | 916  | 937  | 963  |
| 80            | 661                      | 694  | 714  | 728  | 761  | 784  | 794  | 827  | 860  | 876  | 893  | 926  | 943  | 959  | 992  |
| 81            | 672                      | 716  | 733  | 750  | 783  | 805  | 816  | 849  | 882  | 899  | 915  | 948  | 968  | 981  | 1019 |
| 82            | 694                      | 728  | 753  | 772  | 805  | 828  | 838  | 871  | 915  | 924  | 948  | 981  | 995  | 1014 | 1047 |
| 83            | 716                      | 750  | 772  | 794  | 827  | 849  | 860  | 893  | 937  | 948  | 970  | 1003 | 1021 | 1036 | 1074 |
| 84            | 728                      | 772  | 793  | 805  | 849  | 871  | 882  | 926  | 959  | 973  | 992  | 1036 | 1048 | 1069 | 1102 |
| 85            | 750                      | 794  | 817  | 838  | 871  | 897  | 915  | 948  | 992  | 1002 | 1025 | 1058 | 1079 | 1102 | 1135 |
| 86            | 772                      | 816  | 841  | 860  | 904  | 924  | 937  | 981  | 1014 | 1032 | 1058 | 1091 | 1111 | 1135 | 1168 |
| 87            | 794                      | 838  | 864  | 882  | 926  | 950  | 970  | 1003 | 1047 | 1061 | 1080 | 1124 | 1142 | 1157 | 1201 |
| 88            | 816                      | 860  | 888  | 904  | 948  | 976  | 992  | 1036 | 1069 | 1090 | 1113 | 1157 | 1174 | 1190 | 1235 |
| 89            | 849                      | 893  | 920  | 937  | 981  | 1011 | 1025 | 1069 | 1113 | 1129 | 1157 | 1202 | 1215 | 1235 | 1279 |
| 90            | 882                      | 926  | 952  | 970  | 1014 | 1046 | 1058 | 1102 | 1146 | 1168 | 1190 | 1235 | 1257 | 1279 | 1323 |
| 91            | 904                      | 948  | 975  | 992  | 1047 | 1072 | 1091 | 1135 | 1179 | 1197 | 1224 | 1268 | 1289 | 1312 | 1356 |
| 92            | 926                      | 970  | 999  | 1025 | 1069 | 1098 | 1113 | 1157 | 1213 | 1226 | 1257 | 1301 | 1320 | 1345 | 1389 |
| 93            | 948                      | 1003 | 1031 | 1047 | 1102 | 1133 | 1146 | 1202 | 1246 | 1265 | 1290 | 1345 | 1362 | 1389 | 1433 |
| 94            | 981                      | 1036 | 1063 | 1080 | 1135 | 1168 | 1190 | 1235 | 1290 | 1304 | 1334 | 1378 | 1404 | 1433 | 1477 |
| 95            | 1014                     | 1069 | 1094 | 1113 | 1168 | 1202 | 1224 | 1268 | 1323 | 1343 | 1378 | 1422 | 1446 | 1477 | 1521 |
| 96            | 1036                     | 1091 | 1126 | 1146 | 1202 | 1237 | 1257 | 1312 | 1367 | 1382 | 1411 | 1466 | 1488 | 1510 | 1565 |
| 97            | 1069                     | 1124 | 1158 | 1179 | 1235 | 1272 | 1290 | 1345 | 1400 | 1421 | 1455 | 1510 | 1530 | 1554 | 1609 |
| 98            | 1102                     | 1157 | 1189 | 1213 | 1268 | 1307 | 1323 | 1378 | 1433 | 1460 | 1488 | 1543 | 1572 | 1598 | 1653 |
| 99            | 1135                     | 1190 | 1229 | 1257 | 1312 | 1351 | 1367 | 1433 | 1488 | 1508 | 1543 | 1598 | 1624 | 1653 | 1709 |
| 100           | 1168                     | 1235 | 1269 | 1301 | 1356 | 1394 | 1411 | 1477 | 1532 | 1557 | 1587 | 1653 | 1676 | 1709 | 1764 |
| 101           | 1213                     | 1268 | 1308 | 1334 | 1400 | 1438 | 1455 | 1521 | 1587 | 1606 | 1642 | 1698 | 1729 | 1764 | 1819 |
| 102           | 1246                     | 1312 | 1348 | 1378 | 1444 | 1481 | 1499 | 1565 | 1631 | 1654 | 1687 | 1753 | 1781 | 1819 | 1874 |
| 103           | 1279                     | 1345 | 1388 | 1422 | 1488 | 1525 | 1554 | 1609 | 1675 | 1703 | 1742 | 1808 | 1834 | 1863 | 1929 |
| 104           | 1323                     | 1389 | 1427 | 1455 | 1521 | 1568 | 1598 | 1664 | 1731 | 1752 | 1797 | 1852 | 1886 | 1918 | 1984 |
| 105           | 1356                     | 1422 | 1467 | 1499 | 1565 | 1612 | 1642 | 1709 | 1775 | 1800 | 1841 | 1907 | 1938 | 1973 | 2039 |
| 106           | 1389                     | 1466 | 1507 | 1543 | 1609 | 1656 | 1687 | 1753 | 1819 | 1849 | 1896 | 1962 | 1991 | 2028 | 2094 |
| 107           | 1433                     | 1499 | 1546 | 1576 | 1653 | 1699 | 1731 | 1797 | 1874 | 1898 | 1940 | 2006 | 2043 | 2083 | 2149 |
| 108           | 1466                     | 1543 | 1586 | 1620 | 1698 | 1743 | 1775 | 1841 | 1918 | 1946 | 1995 | 2061 | 2096 | 2138 | 2205 |
| 109           | 1510                     | 1587 | 1634 | 1664 | 1742 | 1795 | 1819 | 1896 | 1973 | 2005 | 2050 | 2127 | 2158 | 2194 | 2271 |
| 110           | 1554                     | 1631 | 1681 | 1720 | 1797 | 1847 | 1874 | 1951 | 2028 | 2063 | 2105 | 2183 | 2221 | 2260 | 2337 |
| 111           | 1598                     | 1687 | 1729 | 1764 | 1852 | 1900 | 1929 | 2006 | 2094 | 2121 | 2172 | 2249 | 2284 | 2326 | 2403 |
| 112           | 1642                     | 1731 | 1776 | 1819 | 1896 | 1952 | 1984 | 2061 | 2149 | 2180 | 2227 | 2315 | 2347 | 2392 | 2469 |
| 113           | 1687                     | 1775 | 1824 | 1863 | 1951 | 2004 | 2039 | 2116 | 2205 | 2238 | 2293 | 2370 | 2410 | 2458 | 2535 |
| 114           | 1731                     | 1819 | 1871 | 1907 | 1995 | 2056 | 2083 | 2172 | 2260 | 2297 | 2348 | 2436 | 2473 | 2513 | 2601 |
| 115           | 1775                     | 1874 | 1927 | 1962 | 2061 | 2117 | 2149 | 2238 | 2326 | 2365 | 2414 | 2502 | 2546 | 2590 | 2679 |
| 116           | 1830                     | 1929 | 1982 | 2028 | 2116 | 2178 | 2216 | 2304 | 2392 | 2433 | 2491 | 2579 | 2619 | 2668 | 2756 |
| 117           | 1885                     | 1984 | 2038 | 2083 | 2183 | 2239 | 2271 | 2370 | 2469 | 2501 | 2557 | 2646 | 2693 | 2745 | 2833 |
| 118           | 1929                     | 2039 | 2093 | 2138 | 2238 | 2300 | 2337 | 2436 | 2535 | 2569 | 2623 | 2723 | 2766 | 2822 | 2910 |

| load<br>Index | Inflation Pressure (psi) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|---------------|--------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|               | 22                       | 23   | 24   | 25   | 26   | 27   | 28   | 29   | 30   | 31   | 32   | 33   | 34   | 35   | 36   |
| <b>119</b>    | 1995                     | 2094 | 2157 | 2205 | 2304 | 2370 | 2403 | 2513 | 2612 | 2647 | 2712 | 2800 | 2850 | 2899 | 2998 |
| <b>120</b>    | 2050                     | 2161 | 2220 | 2271 | 2370 | 2440 | 2480 | 2579 | 2690 | 2725 | 2789 | 2888 | 2934 | 2987 | 3086 |
| <b>121</b>    | 2127                     | 2238 | 2300 | 2348 | 2458 | 2527 | 2568 | 2679 | 2778 | 2822 | 2888 | 2987 | 3039 | 3097 | 3197 |
| <b>122</b>    | 2194                     | 2315 | 2379 | 2425 | 2546 | 2614 | 2657 | 2767 | 2877 | 2919 | 2987 | 3097 | 3143 | 3197 | 3307 |
| <b>123</b>    | 2271                     | 2392 | 2458 | 2513 | 2623 | 2701 | 2745 | 2855 | 2976 | 3017 | 3086 | 3197 | 3248 | 3307 | 3417 |
| <b>124</b>    | 2348                     | 2469 | 2538 | 2590 | 2712 | 2788 | 2833 | 2954 | 3064 | 3114 | 3186 | 3296 | 3353 | 3417 | 3527 |
| <b>125</b>    | 2414                     | 2546 | 2617 | 2668 | 2800 | 2875 | 2921 | 3042 | 3164 | 3211 | 3285 | 3406 | 3458 | 3516 | 3638 |

\*Reference: Standards Manual 2005 - The European Tyre and Rim Technical Organisation v2007.3.30

Reinforced Load Inflation Table

WARNING! Only use for ISO Metric (ETRTO) sizes. DO NOT use this table for P-Metric sizes.

Single Load per tire in pounds

| Load Index | Tire Load Carrying Capacity (lbs.) at Various Inflation Pressures (PSI) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------------|-------------------------------------------------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|            | 22                                                                      | 23   | 24   | 25   | 26   | 27   | 28   | 29   | 30   | 31   | 32   | 33   | 34   | 35   | 36   | 37   | 38   | 39   | 40   | 41   | 42   |
| 66         | 386                                                                     | 408  | 422  | 430  | 452  | 464  | 474  | 496  | 507  | 518  | 529  | 551  | 558  | 573  | 584  | 597  | 606  | 628  | 635  | 639  | 661  |
| 67         | 397                                                                     | 419  | 432  | 441  | 463  | 475  | 485  | 507  | 518  | 530  | 540  | 562  | 571  | 584  | 606  | 611  | 617  | 639  | 650  | 661  | 677  |
| 68         | 408                                                                     | 430  | 443  | 452  | 474  | 487  | 496  | 518  | 540  | 544  | 562  | 573  | 586  | 595  | 617  | 627  | 639  | 650  | 667  | 672  | 694  |
| 69         | 419                                                                     | 441  | 457  | 463  | 485  | 503  | 507  | 529  | 551  | 561  | 573  | 595  | 604  | 617  | 639  | 647  | 661  | 672  | 688  | 694  | 716  |
| 70         | 441                                                                     | 463  | 471  | 485  | 507  | 518  | 529  | 551  | 573  | 579  | 595  | 617  | 623  | 639  | 650  | 667  | 672  | 694  | 709  | 716  | 739  |
| 71         | 452                                                                     | 474  | 486  | 496  | 518  | 534  | 540  | 562  | 584  | 596  | 606  | 628  | 642  | 650  | 672  | 686  | 694  | 716  | 731  | 739  | 761  |
| 72         | 463                                                                     | 485  | 500  | 507  | 529  | 549  | 562  | 584  | 606  | 613  | 628  | 650  | 660  | 672  | 694  | 706  | 716  | 739  | 752  | 761  | 783  |
| 73         | 474                                                                     | 496  | 514  | 529  | 551  | 564  | 573  | 595  | 617  | 630  | 650  | 672  | 679  | 694  | 716  | 726  | 739  | 761  | 773  | 783  | 805  |
| 74         | 485                                                                     | 518  | 528  | 540  | 562  | 580  | 584  | 617  | 639  | 648  | 661  | 683  | 697  | 705  | 739  | 746  | 761  | 783  | 794  | 805  | 827  |
| 75         | 507                                                                     | 529  | 545  | 551  | 584  | 598  | 606  | 628  | 661  | 668  | 683  | 705  | 720  | 739  | 761  | 770  | 783  | 805  | 820  | 827  | 853  |
| 76         | 518                                                                     | 551  | 563  | 573  | 606  | 619  | 628  | 650  | 683  | 691  | 705  | 728  | 744  | 761  | 783  | 796  | 805  | 838  | 847  | 860  | 882  |
| 77         | 540                                                                     | 562  | 580  | 595  | 617  | 637  | 650  | 672  | 705  | 712  | 728  | 750  | 766  | 783  | 805  | 820  | 838  | 860  | 873  | 882  | 908  |
| 78         | 551                                                                     | 584  | 598  | 606  | 639  | 657  | 672  | 694  | 728  | 734  | 750  | 783  | 790  | 805  | 827  | 846  | 860  | 882  | 900  | 915  | 937  |
| 79         | 573                                                                     | 595  | 615  | 628  | 661  | 676  | 683  | 716  | 750  | 755  | 772  | 805  | 813  | 827  | 860  | 870  | 882  | 915  | 925  | 937  | 963  |
| 80         | 584                                                                     | 617  | 633  | 650  | 672  | 696  | 705  | 739  | 772  | 777  | 794  | 827  | 837  | 849  | 882  | 895  | 904  | 937  | 953  | 970  | 992  |
| 81         | 606                                                                     | 628  | 650  | 661  | 694  | 714  | 728  | 761  | 783  | 798  | 816  | 849  | 859  | 871  | 904  | 919  | 937  | 959  | 978  | 992  | 1019 |
| 82         | 617                                                                     | 650  | 668  | 683  | 716  | 735  | 750  | 783  | 805  | 820  | 838  | 871  | 883  | 904  | 926  | 945  | 959  | 992  | 1006 | 1014 | 1047 |
| 83         | 628                                                                     | 672  | 685  | 705  | 739  | 753  | 761  | 794  | 827  | 841  | 860  | 893  | 906  | 926  | 948  | 969  | 981  | 1014 | 1031 | 1047 | 1074 |
| 84         | 650                                                                     | 683  | 704  | 716  | 750  | 773  | 783  | 816  | 849  | 864  | 882  | 915  | 930  | 948  | 981  | 995  | 1014 | 1036 | 1059 | 1069 | 1102 |
| 85         | 672                                                                     | 705  | 725  | 739  | 772  | 796  | 805  | 849  | 882  | 889  | 915  | 948  | 958  | 981  | 1003 | 1025 | 1036 | 1069 | 1091 | 1102 | 1135 |
| 86         | 694                                                                     | 728  | 746  | 761  | 794  | 820  | 838  | 871  | 904  | 915  | 937  | 970  | 986  | 1003 | 1036 | 1055 | 1069 | 1102 | 1122 | 1135 | 1168 |
| 87         | 705                                                                     | 750  | 767  | 783  | 816  | 843  | 860  | 893  | 926  | 941  | 959  | 1003 | 1013 | 1036 | 1069 | 1084 | 1102 | 1135 | 1154 | 1168 | 1201 |
| 88         | 728                                                                     | 772  | 788  | 805  | 838  | 866  | 882  | 915  | 959  | 967  | 992  | 1025 | 1041 | 1058 | 1091 | 1114 | 1135 | 1168 | 1186 | 1201 | 1235 |
| 89         | 750                                                                     | 794  | 816  | 838  | 849  | 897  | 915  | 948  | 992  | 1002 | 1025 | 1058 | 1079 | 1102 | 1135 | 1154 | 1168 | 1213 | 1228 | 1246 | 1279 |
| 90         | 783                                                                     | 827  | 844  | 860  | 904  | 928  | 948  | 981  | 1025 | 1036 | 1058 | 1102 | 1116 | 1135 | 1179 | 1194 | 1213 | 1246 | 1271 | 1290 | 1323 |
| 91         | 805                                                                     | 838  | 866  | 882  | 926  | 951  | 970  | 1003 | 1047 | 1062 | 1091 | 1124 | 1144 | 1168 | 1201 | 1224 | 1246 | 1279 | 1302 | 1323 | 1356 |
| 92         | 816                                                                     | 860  | 887  | 904  | 948  | 974  | 992  | 1036 | 1069 | 1088 | 1113 | 1157 | 1172 | 1190 | 1235 | 1254 | 1268 | 1312 | 1334 | 1356 | 1389 |
| 93         | 849                                                                     | 893  | 915  | 937  | 981  | 1005 | 1025 | 1069 | 1102 | 1123 | 1146 | 1190 | 1209 | 1235 | 1268 | 1293 | 1312 | 1356 | 1377 | 1389 | 1433 |
| 94         | 871                                                                     | 915  | 943  | 959  | 1003 | 1036 | 1058 | 1102 | 1146 | 1157 | 1179 | 1224 | 1246 | 1268 | 1312 | 1333 | 1356 | 1400 | 1419 | 1433 | 1477 |
| 95         | 893                                                                     | 948  | 971  | 992  | 1036 | 1067 | 1080 | 1135 | 1179 | 1192 | 1224 | 1268 | 1283 | 1312 | 1356 | 1373 | 1389 | 1433 | 1461 | 1477 | 1521 |
| 96         | 926                                                                     | 970  | 999  | 1025 | 1069 | 1098 | 1113 | 1157 | 1213 | 1226 | 1257 | 1301 | 1320 | 1345 | 1389 | 1413 | 1433 | 1477 | 1504 | 1521 | 1565 |
| 97         | 948                                                                     | 1003 | 1027 | 1047 | 1102 | 1129 | 1146 | 1190 | 1246 | 1261 | 1290 | 1334 | 1358 | 1378 | 1433 | 1453 | 1477 | 1521 | 1546 | 1565 | 1609 |
| 98         | 981                                                                     | 1025 | 1056 | 1080 | 1124 | 1160 | 1179 | 1224 | 1279 | 1295 | 1323 | 1378 | 1395 | 1422 | 1466 | 1492 | 1510 | 1565 | 1588 | 1609 | 1653 |
| 99         | 1003                                                                    | 1058 | 1091 | 1113 | 1168 | 1198 | 1224 | 1268 | 1323 | 1339 | 1367 | 1422 | 1441 | 1466 | 1521 | 1542 | 1565 | 1609 | 1641 | 1664 | 1709 |
| 100        | 1036                                                                    | 1091 | 1126 | 1146 | 1201 | 1237 | 1257 | 1312 | 1367 | 1382 | 1411 | 1466 | 1488 | 1521 | 1565 | 1592 | 1620 | 1664 | 1694 | 1720 | 1764 |
| 101        | 1069                                                                    | 1135 | 1161 | 1190 | 1246 | 1276 | 1301 | 1356 | 1400 | 1425 | 1455 | 1510 | 1534 | 1565 | 1620 | 1642 | 1664 | 1720 | 1747 | 1764 | 1819 |
| 102        | 1102                                                                    | 1168 | 1196 | 1224 | 1279 | 1314 | 1334 | 1389 | 1444 | 1468 | 1499 | 1554 | 1581 | 1609 | 1664 | 1691 | 1720 | 1775 | 1800 | 1819 | 1874 |
| 103        | 1135                                                                    | 1201 | 1231 | 1257 | 1312 | 1353 | 1378 | 1433 | 1488 | 1511 | 1543 | 1598 | 1627 | 1653 | 1709 | 1741 | 1764 | 1819 | 1853 | 1874 | 1929 |
| 104        | 1168                                                                    | 1235 | 1267 | 1290 | 1356 | 1392 | 1411 | 1477 | 1532 | 1554 | 1587 | 1653 | 1674 | 1709 | 1764 | 1791 | 1819 | 1874 | 1906 | 1929 | 1984 |
| 105        | 1201                                                                    | 1268 | 1302 | 1334 | 1389 | 1430 | 1433 | 1510 | 1576 | 1598 | 1631 | 1698 | 1720 | 1753 | 1808 | 1841 | 1874 | 1929 | 1959 | 1984 | 2039 |
| 106        | 1235                                                                    | 1301 | 1337 | 1367 | 1433 | 1469 | 1488 | 1554 | 1620 | 1641 | 1675 | 1742 | 1767 | 1797 | 1863 | 1890 | 1918 | 1973 | 2012 | 2039 | 2094 |
| 107        | 1268                                                                    | 1334 | 1372 | 1400 | 1510 | 1508 | 1532 | 1598 | 1664 | 1684 | 1720 | 1786 | 1813 | 1852 | 1907 | 1940 | 1973 | 2028 | 2065 | 2094 | 2149 |
| 108        | 1301                                                                    | 1367 | 1407 | 1433 | 1510 | 1546 | 1576 | 1642 | 1698 | 1727 | 1764 | 1830 | 1860 | 1896 | 1962 | 1990 | 2017 | 2083 | 2118 | 2138 | 2205 |

Application of Load Inflation Tables  
Version 20170203

| Load Index | Tire Load Carrying Capacity (lbs.) at Various Inflation Pressures (PSI) |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |      |
|------------|-------------------------------------------------------------------------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|------|
|            | 22                                                                      | 23   | 24   | 25   | 26   | 27   | 28   | 29   | 30   | 31   | 32   | 33   | 34   | 35   | 36   | 37   | 38   | 39   | 40   | 41   | 42   |
| 109        | 1345                                                                    | 1411 | 1450 | 1477 | 1554 | 1593 | 1620 | 1687 | 1753 | 1779 | 1819 | 1885 | 1915 | 1951 | 2017 | 2049 | 2083 | 2149 | 2181 | 2205 | 2271 |
| 110        | 1378                                                                    | 1455 | 1492 | 1521 | 1598 | 1639 | 1664 | 1731 | 1808 | 1831 | 1874 | 1940 | 1971 | 2006 | 2072 | 2109 | 2138 | 2205 | 2245 | 2271 | 2337 |
| 111        | 1422                                                                    | 1488 | 1534 | 1565 | 1642 | 1686 | 1709 | 1786 | 1852 | 1883 | 1929 | 1995 | 2027 | 2061 | 2138 | 2169 | 2205 | 2271 | 2308 | 2337 | 2403 |
| 112        | 1455                                                                    | 1532 | 1576 | 1609 | 1687 | 1732 | 1764 | 1830 | 1907 | 1934 | 1984 | 2050 | 2083 | 2127 | 2194 | 2229 | 2260 | 2337 | 2372 | 2403 | 2469 |
| 113        | 1499                                                                    | 1576 | 1618 | 1653 | 1731 | 1778 | 1808 | 1885 | 1962 | 1986 | 2028 | 2105 | 2139 | 2183 | 2249 | 2288 | 2326 | 2392 | 2435 | 2469 | 2535 |
| 114        | 1532                                                                    | 1620 | 1661 | 1698 | 1775 | 1825 | 1852 | 1929 | 2006 | 2038 | 2083 | 2160 | 2194 | 2238 | 2315 | 2348 | 2381 | 2458 | 2499 | 2524 | 2601 |
| 115        | 1576                                                                    | 1664 | 1710 | 1753 | 1830 | 1879 | 1907 | 1995 | 2072 | 2098 | 2149 | 2227 | 2259 | 2304 | 2381 | 2418 | 2458 | 2524 | 2573 | 2601 | 2679 |
| 116        | 1631                                                                    | 1709 | 1759 | 1797 | 1885 | 1933 | 1962 | 2050 | 2127 | 2159 | 2205 | 2293 | 2324 | 2370 | 2447 | 2487 | 2524 | 2601 | 2647 | 2679 | 2756 |
| 117        | 1675                                                                    | 1764 | 1808 | 1852 | 1929 | 1987 | 2017 | 2105 | 2194 | 2219 | 2271 | 2348 | 2390 | 2436 | 2513 | 2557 | 2601 | 2679 | 2721 | 2756 | 2833 |
| 118        | 1720                                                                    | 1808 | 1858 | 1896 | 1984 | 2041 | 2072 | 2160 | 2249 | 2280 | 2337 | 2414 | 2455 | 2502 | 2579 | 2626 | 2668 | 2745 | 2795 | 2833 | 2910 |
| 119        | 1775                                                                    | 1863 | 1914 | 1951 | 2050 | 2103 | 2138 | 2227 | 2315 | 2349 | 2403 | 2491 | 2529 | 2579 | 2668 | 2706 | 2745 | 2833 | 2880 | 2910 | 2998 |
| 120        | 1819                                                                    | 1918 | 1970 | 2017 | 2105 | 2165 | 2205 | 2293 | 2381 | 2418 | 2469 | 2568 | 2603 | 2657 | 2745 | 2786 | 2833 | 2910 | 2965 | 2998 | 3086 |
| 121        | 1885                                                                    | 1984 | 2041 | 2083 | 2183 | 2242 | 2282 | 2370 | 2469 | 2504 | 2557 | 2657 | 2696 | 2745 | 2844 | 2885 | 2932 | 3020 | 3071 | 3108 | 3197 |
| 122        | 1951                                                                    | 2050 | 2111 | 2160 | 2260 | 2320 | 2359 | 2458 | 2557 | 2591 | 2657 | 2745 | 2789 | 2844 | 2932 | 2985 | 3031 | 3119 | 3177 | 3219 | 3307 |
| 123        | 2017                                                                    | 2127 | 2181 | 2227 | 2337 | 2397 | 2436 | 2535 | 2634 | 2677 | 2745 | 2844 | 2882 | 2932 | 3031 | 3084 | 3131 | 3230 | 3283 | 3318 | 3417 |
| 124        | 2083                                                                    | 2194 | 2252 | 2304 | 2403 | 2474 | 2513 | 2623 | 2723 | 2763 | 2833 | 2932 | 2975 | 3031 | 3131 | 3184 | 3230 | 3329 | 3388 | 3428 | 3527 |
| 125        | 2149                                                                    | 2260 | 2322 | 2370 | 2480 | 2552 | 2590 | 2701 | 2811 | 2850 | 2921 | 3020 | 3068 | 3131 | 3274 | 3283 | 3329 | 3439 | 3494 | 3538 | 3638 |

\*Reference: Standards Manual 2005 - The European Tyre and Rim Technical Organisation v2007.3.30